



宁波欧科瑞连接器有限公司
NINGBO OUKERUI CONNECTOR CO.,LTD



欧科瑞
重载连接器



Products Catalogue

Heavy Duty Connector

欧科瑞® | 重载连接器



厂址
Factory Address

中国浙江省宁波慈溪市逍林镇北工业区宋丁路185号
Add: NO.185, Songding Road, North Industry Park,
Xiaolin Town, Cixi City, Ningbo, P.R. China.

Tel: +86-574-63975388
Fax: +86-574-63510303
E-mail: hzw@oukerui.com

Version 2024

公司简介 Company Profile

宁波欧科瑞(OUKERUI)连接器有限公司是一家专业致力于重载连接器研发、生产及销售为一体的现代化企业,自创立以来不断采纳来自各行业客户的真诚建议,并不断吸纳国际先进技术和设计理念,通过我们研发团队的刻苦专研,以客户需求为导向,提供个性化的解决方案,使产品不断创新,并获得多项专利和认证。公司秉承“创新致远,求实向善”的经营理念,现与国内外众多知名品牌企业建立了良好稳固的合作伙伴关系,逐步形成技术和品牌上的优势,始终为客户提供最优质的产品和优良的服务,并不断加强、完善企业内部的综合素质,在竞争中求发展,在挑战中谋机遇,欧科瑞愿真诚与您携手共进,共创辉煌。

Ningbo Oukerui Connector Co., Ltd. is a professional commitment to heavy-duty connector , productio and sales as one of the modern enterprise. Since its inception the company has accepted sincere suggestion from customers in various industries, and constantly absorbing internatio al advanced technology and design concepts. Through our team's hard research, according customer demand-oriented, to provide personalized solution and the product innovation and access to a number of patents and certi cation Companies adhering to the "Innovatio To Great Expectation Realist To Kindness" business target, and many well-known enterprise in China and abroad had established a solid partnership with OUKERUI, and gradually form the advantages of technology and brand, always provide customers with the best quality products and excellent Services, and contin e to strengthen and improve the overall quality of the enterprise, in the compe tio and development, seeking the opportuni es from challenge , OUKERUI will be willing to work with you hand in hand, to create brilliant.

OUKERUI 致力于绿色能源事业 OUKERUI devotes in the green energy enterprise




产品概述
Product Overview

OUKERUI重载连接器广泛应用于模具、机械制造、建筑机械、纺织机械、交通技术、电力能源、电力机车、通信技术等各种需要电气和信号连接的设备中。公司在产品设计制造过程中，拥有一支高素质的专业知识骨干人员；并不断吸纳世界工业连接器行业最先进的理念及工艺，能够为客户提供高品质的产品。目前公司产品有螺钉连接型，弹片连接型，冷压连接型等系列产品，能满足不同的领域和不同的电气和信号连接。

OUKERUI heavy-duty connectors are extensively used in equipment that requires electrical and signal connections such as mold, machinery, construction machinery, textile machinery, transportation technology, electric energy, electric locomotives and so on various need electrical and petrochemical electric equipment. OUKERUI adopts the most advanced concepts and processes in the global industrial connector industry during the product design and manufacturing process, with high-quality professional knowledge Backbone personal; which enables it to provide its clients with high-quality product. At present, the company Product have screw terminal, Spring terminal, Crimp terminal and so on product series, to meet electrical or signal connecting requirements in different fields and for different purposes.

INSERTS



主要部件
Parts of the Heavy Duty Connector

1. 电缆接头/Cable gland
尼龙或铜合金镀镍/Nylon or brass nickel plated
通用电缆接头/Universal cable glands
其他电缆接头/Other cable glands
2. 上壳/Hoods
标准或者高结构/Low or High Construction
顶部出线或者侧面进线/Top or Side cable entry
2耳, 4耳或者2扣/2 bolts or 2 bolts or 2 locking levers
3. 公插体 母插体/Male insert and Female Insert
螺钉连接/Screw terminal
冷压连接/Crimp terminal
弹片连接/Cage-clamp terminal
4. 冷压针 (适用于冷压接线的插体)
Crimp contacts(Only for Crimp connection insert)
镀金或者镀银/Golden plated or silver plated
额定电流/Rated current:5A,10A,16A,40A
5. 下壳/Housings
开孔安装, 表面安装或电缆对接
Bulkhead mounting or surface mounting or cable to cable
标准或者高结构/Low or high construction
1扣, 2扣或4耳/1 or 2 locking levers or 4 bolts
带塑料盖或带金属盖或不带盖
With or without thermoplastic/metal covers
6. 附件/Accessories
保护盖/Protective covers
编码销/Code and guide pins for coding
工具/Tools



应用领域
Application Field



1
机械行业
a)机械自动化
b)龙门吊车
c)机械手



2
工业行业
a)注塑机
b)数控
c)汽车行业
d)机器人
e)电梯



3
能源行业
a)电能
b)风能



4
交通技术
a)轨道交通
b)风能

机械自动化

主要应用:控制系统,信号连接,控制柜,电力连接
行业连接器特点:即插即用,便于安装,环保性高,通用性高,可同时实现电气和电路的连接
推荐产品:HA,HE,HEE,HK,HM

汽车行业

主要应用:焊接机器人,智能控制柜,装配流水线输送,提升机,车体成型系统,传动梁调节系统
行业连接器特点:安全性防护高,即插即用,维护方便安全
推荐产品:HA,HE,HK,HM

电能、风能

主要应用:风能滑环,主控系统,变桨系统,变流系统
行业连接器特点:安全性防护高,适应强弱电场复杂,维护方便安全,模块化,电力信号结合
推荐产品:HE,HK

轨道交通

主要应用:牵引系统,电气控制柜,空调系统,车厢连接,照明系统
行业连接器特点:安全性防护高,电流大,维护方便安全,线束高度集成化
推荐产品:HEE,HK,HM

环保理念
The concept of environmental protection

欧科瑞 (OUKERUI) 致力于绿色能源事业, 认识到保护环境资源的重要性, 自觉将环保作为产品的重要指标, 为此我司制定了以下环保战略方针:

1. 满足客户需求, 遵守国家和地方法律、法规和其他环保要求
2. 环保理念为我司的一项重要准则, 坚持质量、效益和环保全面发展
3. 降耗节能, 实现资源的充分利用
4. 不断创新, 开发新材料、新技术、制造节约型环保产品

Oukerui committe in Green energy, realize the importance of environment resources protection We make environment protectio as an important element of products, for this aim oukerui make following environmental protection strategy

- 1: Satisfy the clients' requirements, comply with national and local laws, regulations include requirement of environmental protection .
- 2: Let environment concept to be a important criterion in Oukerui, Let the quality, efficiency and environmental protection develop together.
- 3: To save the energy consumption, make full use of the resource.
- 4: Keep innovation develop new material, new technology and energy-saving environmental products.



IP等级 IP Degree

外壳保护连接器/Hoods&Housings connector insert protection

连接器上的外壳,密封件及锁扣装置使连接器的电气部件免受影响,比如冲击、异物、湿气、灰尘、水或清洁剂、冷却液、油等其他液体的入侵。
The connector's housing, sealing and locking mechanism protect the connector from external influences such as mechanical shocks, foreign bodies, humidity, dust, water or other fluids such as cleansing and cooling agents, oils, etc. The following table shows the different degrees of protection.

字母代号 IP		第一个数字 6	第二个数字 5
Code letters (International protection)		First Index Figure (Foreign bodies protection)	Second Index Figure (Water protection)
数字 Index figure	保护范围/Degree of protection		保护范围/Degree of protection
0		无安全防护:无接触保护,无防固体异物保护。 No protection against accidental contact, no protection against solid foreign bodies	0 无防水保护。 No protection against water
1		防大件异物保护: 防止手部大面积接触,防止直径大于50mm的异物。 Protection against contact with any large by hand and against large solid foreign bodies with $\Phi > 50\text{mm}$.	1 防滴水保护:防止垂直滴落的水滴。 Protection against vertical water drip
2		防中等大小异物保护: 防止手指接触,防止直径大于12mm的异物。 Protection against contact with the fingers, protection against solid foreign bodies with $\Phi > 12\text{mm}$.	2 防倾斜滴水保护: 防止倾斜滴落的水滴(在垂直面15°以内的任意角度)。 Protection against water drips (up to a 15° angle).
3		防小件异物保护:防止工具,铁丝等直径大于2.5mm的物体接触,防止直径大于2.5mm的异物。 Protection against tools, wires or similar object with $\Phi > 2.5\text{mm}$, Protection against small solid foreign bodies with $\Phi > 2.5\text{mm}$.	3 防洒水保护:防止来自垂直面60°以内任意角度的洒水。 Protection against diagonal water drips (up to a 60° angle).
4		防颗粒状异物保护:同3所述,防异物直径大于1mm。 As 3 however $\Phi > 1\text{mm}$.	4 防喷水保护:防止来自各个方向的喷水。 Protection against splashed water from all directions
5		防灰尘沉积保护:防止接触,防止内部灰尘沉积。 Full protection against contact. Protection against interior dust deposits.	5 防射水保护:防止来自任意角度的冲射喷水(喷嘴)。 Protection against water (out of a nozzle) from all directions
6		防灰尘进入保护:全面防止接触,防止灰尘进入。 Total protection against contact. Protection against penetration of dust	6 防淹水保护:防止暂时性的淹水。 Protection against strong water (out of a nozzle) from all directions
			7 防浸水保护:防止暂时性的浸水。 Protection against temporary immersion
			8 防潜水保护:防止长时间浸没时加压水进入。 Protection against water pressure

污染等级 Pollution Degree

污染程度

以下分类符合IEC60664-1

设备的测定与环境条件有关,可能出现的污染会影响其导电能力,并和湿度一起影响表面绝缘性能。污染程度会通过爬电距离影响部件的结构。污染程度根据环境条件为无防护的裸露隔离层定义。

污染等级 I

无污染或仅出现干燥的非导电污染,该污染没有任何影响。如计算机房和测量设备房。

污染等级 II

仅出现非导电污染,但是必须预期到凝露会偶然发生短暂的导电性污染。如住宅、商厦、实验室、精密机械车间。

污染等级 III

有导电污染或由于预期的凝露使干燥的非导电性污染变为导电性污染。如未加热的仓库、车间或锅炉房内以及机组的电气设备或机床。欧科瑞工业用连接器就是按照该污染程度设计的。

污染等级 IV

造成持久导电性污染,例如由于导电尘埃或雨雪所引起的。如在露天或户外空间、火车或者有轨电车的车顶设备。

连接器特殊规定

依据连接器标准,若符合特定的条件,设备上可使用适用于更低污染等级的连接器。也就是说,在污染等级3时,可使用连接器在污染等级2时的电器参数。

对于防护等级为IP54或更高(根据IEC 60529)的连接器,密闭外壳内的绝缘件会处于更低的污染等级的环境。由连接器外壳确保密闭性,且只有在测试或维护时才会脱开,配合在一起的连接器也是如此

在下列情况下满足上述条件:

- 防护等级至少为IP54的连接器。
- 安装在外壳内,且如标准中所述仅为检测和维护目的而脱开的连接器。
- 安装在外壳内,且在脱开状态下通过护盖达到至少IP54防护等级的连接器。
- 安装在防护等级不低于IP54控制柜的连接器。

注:如果在脱开状态下,连接器暴露在工业氛围中一段时间,该连接器就不适用上述条件。

污染程度 II 的连接器应用示例


- 驱动电机上的连接器,仅在更换损坏的电机时才能脱开,即使用场合的污染程度为3。
- 防护等级达到IP54的控制柜内连接器,此时甚至可以不需要连接器自有的防护等级为IP54的外壳。
- 模块化安装的设备上的连接器,仅在运输时才脱开,能快速的安装及调试,利用保护盖或适宜包装能确保运输中连接器免受污染。

参数图
Parametric Graph


PG制螺纹与公制螺纹对照表

PG	公制/M
PG11	M20
PG13.5	
PG16	M25
PG21	
PG29	M32
PG36	M40
PG42	M50
PG48	M63


电缆直径与导线规格及导线数的关系图




连接方式
Connection Mode




螺钉连接



冷压连接



弹片连接



轴向螺栓连接

- 1. 螺钉连接**
特点: 操作简单, 无需特殊工具, 适用于所有场合的高质量连接, 非永久性连接, 可重新接线
- 2. 冷压连接**
特点: 高质量连接, 易于预制电缆线束时实现连接自动化, 适用多种复杂场景, 连接可靠, 但是需要专业工具, 永久性连接
- 3. 弹片连接**
特点: 易于使用, 无需特殊工具, 即使在振动情况下也可实现高质量连接, 非永久接线, 可重新接线
- 4. 轴向螺栓连接**
特点: 易于使用, 无需特殊工具, 适用于电压较大、电缆较粗的场合, 非永久连接, 可重新接线

产品型号和订货号说明 Explain for the Part Number & Order Number

产品型号说明

接插体/Insert
HZW-HA-003-M

接插体属性/Male-Female
接插体针数/Number of contacts
系列号/Series
欧科瑞公司产品编号

外壳/Hoods or Housings
HZW-H3A-ST-1PL-M20

螺纹口径
单扣
装进线方式
系列号/Series
欧科瑞公司产品编号

订货号说明


接插体/Insert
80 210 003 121

连接类型和属性 (M/F)
接插体针数
接插体型号
接插体编号


外壳/Hoods or Housings
65 031 110 120

螺纹和螺纹口径
参数 (结构, 安装和进线等)
外壳型号和上下壳
外壳编号


选型指南 Selection Guide




● 开孔安装/Bulkhead mounting
侧面进线/Side entry




● 开孔安装/Bulkhead mounting
顶部进线/Top entry




● 表面安装/Surface mounting
顶部进线/Top entry



● 表面安装/Surface mounting
侧面进线/Side entry



● 电缆对接/Cable to Cable
侧面进线/Side entry



● 电缆对接/Cable to Cable
顶部进线/Top entry

产品选型表
Product Selection Table

插体系列、配套公母、连接方式、电压、电流快速查找表

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HA-	003-M/F	H3A	螺钉	230/400V, 4KV, 污3	10A
	004-M/F				
	010-M/F	H10A		250V, 4KV, 污3	16A
	016-M/F	H16A			
	032-M/F(2*16)	H32A			
HZW-HD-	008-MC/FC	H3A	冷压	~50V/-120V, 4KV, 污3	10A, 冷压针需另行购买
	007-MC/FC				
	015-MC/FC				
	025-MC/FC	H16A		250V, 4KV, 污3	
	050-MC/FC(2*25)	H32A			
	040-MC/FC	H16B			
	064-MC/FC	H24B			
	080-MC/FC(2*40)	H32B			
	128-MC/FC(2*64)	H48B			
	HZW-HDD-	024-MC/FC			
042-MC/FC		H10B			
072-MC/FC		H16B			
108-MC/FC		H24B			
144-MC/FC		H32B			
216-MC/FC		H48B			

插体系列	型号	配套外壳	连接方式	电压	插针(电流)	
HZW-HE-	006-M/F	H6B	螺钉	500V, 6KV, 污3	16A	
	010-M/F	H10B				
	016-M/F	H16B				
	024-M/F	H24B				
	032-M/F	H32B				
HZW-HEE-	010-MC/FC	H6B	冷压	500V, 6KV, 污3	16A, 冷压针需另行购买	
	018-MC/FC	H10B				
	032-MC/FC	H16B				
	046-MC/FC	H24B				
	064-MC/FC	H32B				
	092-MC/FC	H48B				
HZW-HVE-	003-M/F	HV10B	螺钉	830V, 8KV, 污3	16A	
	006-M/F	HV16B				
	012-M/F(2*6)	HV32B				
	010-M/F	HV24B		400/690V, 6KV, 污3		
	020-M/F(2*10)	HV48B				
	016-M/F	HV24B				
	032-M/F(2*16)	HV48B				
HZW-HSB-	004-M/F	H10B	螺钉	400V/690V, 6KV, 污3	35A	
	006-M/F	H16B				
	012-M/F(2*6)	H32B				
HZW-HQ-	005/0-MC/FC	H3A	冷压	230/400V, 4KV, 污3	16A(冷压针需另行购买)	
	007/0-MC/FC			400V, 6KV, 污3	10A(冷压针需另行购买)	
	012/0-MC/FC			400V, 6KV, 污3		
HZW-HK-	4/0-M/F	H16B	螺钉	690V, 8KV, 污3	80A	
	4/2-M/F			690V, 8KV, 污3 信400V, 6KV, 污3	80A/信16A	
	4/8-M/F	H24B		400V, 6KV, 污3 信400V, 6KV, 污3	80A/信16A	
	8/24-MC/FC	H10B		冷压	230/400V, 4KV, 污3	16A/信10A
					信160V, 2.5KV, 污3	冷压针需另行购

外壳配内芯快速查找表

外壳系列	配套插体型号
H3A外壳	HA-003
	HA-004
	HD-007
	HD-008
	HQ-005/0
	HQ-007/0
H10A外壳	HQ-012/0
	HA-010
H16A外壳	HD-015
	HA-016
H32A外壳	HD-025
	HA-032
H6B外壳	HD-050
	HDD-024
	HE-006
	HEE-010
H10B外壳	HDD-042
	HE-010
	HEE-018
	HVE-003
	HK-8/24
	HSB-004
H16B外壳	HD-040
	HDD-072
	HE-016
	HEE-032
	HSB-006
	HVE-006
	HK-4/0
	HK-4/2
H24B外壳	HD-064
	HDD-108
	HE-024
	HEE-046
	HVE-010
	HVE-016
H32B外壳	HK-4/8
	HD-080
	HDD-144
	HE-032
	HEE-064
	HSB-012
HVE-012	

外壳系列	配套插体型号
H48B外壳	HD-128
	HDD-216
	HE-048
	HEE-092
	HVE-020
	HVE-032
HV10B外壳	HDD-042
	HE-010
	HEE-018
	HVE-003
HV16B外壳	HK-8/24
	HD-040
	HDD-072
	HE-016
	HEE-032
	HSB-006
HV24B外壳	HVE-006
	HK-4/0
	HK-4/2
	HD-064
	HDD-108
	HE-024
HV32B外壳	HEE-046
	HVE-010
	HVE-016
	HK-4/8
	HD-080
	HDD-144
HV48B外壳	HE-032
	HEE-064
	HSB-012
	HVE-012
	HD-128
	HDD-216
HV48B外壳	HE-048
	HEE-092
	HVE-020
	HVE-032

目录
Selection Guide

插体/Inserts

HZW-HA系列	HA Series	(螺连接/Screw terminal)	002
HZW-HD系列	HD Series	(冷压连接/Crimp terminal)	008
HZW-HDD系列	HDD Series	(冷压连接/Crimp terminal)	017
HZW-HE系列	HE Series	(螺钉连接/Screw terminal)	025
HZW-HEE系列	HEE Series	(冷压连接/Crimp terminal)	032
HZW-HEEE系列	HEEE Serier	(冷压连接/Crimp terminal)	040
HZW-HVE 系列	HVE Series	(螺连接/Screw terminal)	041
HZW-HSB系列	HSB Series	(螺钉连接/Screw terminal)	049
HZW-HQ系列	HQ Series	(冷压连接/Crimp terminal)	053
HZW-HK系列	HK Series	(螺钉,冷压连接/Screw,Crimp terminal)	065
HZW-HM 系列	HM Series	(螺钉,冷压,弹片连接/Screw,Crimp,Cage Clamp terminal)	075

外壳/Hood&Housing

HZW-H3A系列	H3A Series	083
HZW-HC3A系列	HC3A Series	087
HZW-H10A系列	H10A Series	090
HZW-H16A系列	H16A Series	093
HZW-H32A系列	H32A Series	096
HZW-H6B系列	H6B Series	100
HZW-H10B系列	H10B Series	112
HZW-H16B系列	H16B Series	128
HZW-H24B系列	H24B Series	144
HZW-H32B系列	H32B Series	159
HZW-H48B 系列	H48B Series	164
HZW-CCAB系列	CCAB Series	170

附件部分/Accessories

电力配网连接器	Power distribution network connector	167
冷压针及工具	Crimp Contact & Tools	171
电缆接头	Cable Gland	173
编码销	Code Pin	174
扣子	Lever	175
壳体底部安装尺寸图	Housing Mounting Dimensions	177

HA 示例套图

Sample Diagram

HA

上壳
Hoods



母插体
Female insert



公插体
Male insert



下壳
Housings



HA 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications	DIN EN 60 664 DIN EN 61 984
-------------------	--------------------------------

接插体/Inserts

接插件针数/Number of contacts	3,4,10,16,32(2*16)+PE
--------------------------	-----------------------

HZW-HA-003/004

工作电流/Working current (见负载图/See current carrying capacity)	10A
工作电压/Working voltage	230/400V
额定脉冲耐受电压/Rated impulse voltage	4KV
污染等级/Pollution degree	3

HZW-HA-010/016

工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	250V
额定脉冲耐受电压/Rated impulse voltage	4KV
污染等级/Pollution degree	3

绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V




接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Silver plated
接触电阻/Contact resistance	$\leq 1m\Omega$
接线形式/Terminal	螺钉连接/Screw terminal
导线规格/Wire gauge	1.0~2.5mm ² (AWG18-14)
螺钉拧紧力矩/Screw terminal tightenin	(HA-003/004) 0.25Nm (HA-010/016) 0.5Nm



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

① wire gauge: 2.5mm²
② wire gauge: 1.5mm²
③ wire gauge: 1.0mm²






产品选型表
Product Selection Table




插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HA-	003-M/F	H3A 	螺钉	230/400V, 4KV, 污3	10A
	004-M/F	H10A 			
	010-M/F	H16A 			
	032-M/F(2*16)	H32A 			

230/400V 10A 3,4+ ⊕

UL, CE, CCC

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HA-003-M	80210003121		
	母/Female HZW-HA-003-F	80210003120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HA-004-M	80210004121		
	母/Female HZW-HA-004-F	80210004120		

250V 16A 10,16+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HA-010-M	80210010121		
	母/Female HZW-HA-010-F	80210010120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HA-016-M (1-16)	80210016121		
	母/Female HZW-HA-016-F (1-16)	80210016120		

250V 16A 32+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HA-016-M (17-32)	80210016141		
	母/Female HZW-HA-016-F (17-32)	80210016140		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HA-032-M (1-16)(17-32)	80210032181		
	母/Female HZW-HA-032-F (1-16)(17-32)	80210032180		

HD 示例套图

Sample Diagram

HD

上壳
Hoods



母插针
Female contacts



母插体
Female insert



公插体
Male insert



公插针
Male contacts



下壳
Housings



HD 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications DIN EN 60 664
DIN EN 61 984

接插体/Inserts

接插件针数/Number of contacts	7,15,25,40,50,64,80,128, 50(2*25),80(2*40), 128(2*64)+PE
工作电流/Working current (见负载图/See current carrying capacity)	10A
工作电压/Working voltage	250V
额定脉冲耐受电压/Rated impulse voltage	4KV
污染等级/Pollution degree	3
当污染程度2时参数/Pollution degree 2 als	10A 230V/400V 4KV 2
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V

接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface:	镀金/Gold plated 镀银/Silver plated
接触电阻/Contact resistance	$\leq 3m\Omega$
接线形式/Terminal	冷压连接/Crimp terminal
导线规格/Wire gauge	0.14~2.5mm ² (AWG26-14)



HZW-HD-008 (Technical characteristics)

接插件针数 / Number of contacts	8
工作电流/Working current	10A
工作电压/Working voltage	-50V /-120V
据UL/CSA工作电压/Working voltage acc.to UL/CSA	50V



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

- 1 HZW-HD-007
- 2 HZW-HD-015
- 3 HZW-HD-025
- 4 HZW-HD-040
- 5 HZW-HD-064









产品选型表
Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HD-	008-MC/FC	H3A	冷压	~50V/-120V,4KV,污3	10A, 冷压针需另行购买 
	007-MC/FC	H10A			
	015-MC/FC	H16A			
	025-MC/FC	H32A			
	050-MC/FC(2*25)	H16B			
	040-MC/FC	H24B		250V,4KV,污3	
	064-MC/FC	H32B			
	080-MC/FC(2*40)	H48B			
	128-MC/FC(2*64)				

250V 10A 7,8+ 

 插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-007-MC	80220007221		
	母/Female HZW-HD-007-FC	80220007220		
	公/Male HZW-HD-008-MC	80220008221		
	母/Female HZW-HD-008-FC	80220008220		

250V 10A 15,25+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-015-MC	80220015221		
	母/Female HZW-HD-015-FC	80220015220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-025-MC	80220025221		
	母/Female HZW-HD-025-FC	80220025220		

250V 10A 40,50+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-040-MC	80220040221		
	母/Female HZW-HD-040-FC	80220040220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-050-MC 2*(1-25)	80220050281		
	母/Female HZW-HD-050-FC 2*(1-25)	80220050280		

250V 10A 64,80+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-064-MC	80220064221		
	母/Female HZW-HD-064-FC	80220064220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-080-MC 2*(1-40)	80220080281		
	母/Female HZW-HD-080-FC 2*(1-40)	80220080280		

250V 10A 128+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HD-128-MC 2*(1-64)	80220128281		
	母/Female HZW-HD-128-FC 2*(1-64)	80220128280		

配套冷压针
Crimp Contacts

(10A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤3mΩ
Contact resistance:≤3mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



10A 冷压针/10A Crimp contacts			镀金冷压针 Contacts,Gold-plated			镀银冷压针 Contacts,Silver-plated				
线径/ Wire gauge	接线长度/ Stripping length		公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No
0.14-0.37mm ²	AWG 26-22	7mm	CIGM-0.37	70010111037	CIGF-0.37	70010110037	CISM-0.37	70010211037	CISF-0.37	70010210037
0.5mm ²	AWG 20	7mm	CIGM-0.5	70010111050	CIGF-0.5	70010110050	CISM-0.5	70010211050	CISF-0.5	70010210050
0.75mm ²	AWG 18	7mm	CIGM-0.75	70010111075	CIGF-0.75	70010110075	CISM-0.75	70010211075	CISF-0.75	70010210075
1.0mm ²	AWG 18	7mm	CIGM-1.0	70010111100	CIGF-1.0	70010110100	CISM-1.0	70010211100	CISF-1.0	70010210100
1.5mm ²	AWG 16	7mm	CIGM-1.5	70010111150	CIGF-1.5	70010110105	CISM-1.5	70010211150	CISF-1.5	70010210150
2.5mm ²	AWG 14	7mm	CIGM-2.5	70010111250	CIGF-2.5	70010110205	CISM-2.5	70010211250	CISF-2.5	70010210250

冷压针工具/Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product Picture
冷压钳/Crimping tool	97100014004	
HD,HDD,HM退针器 /HD,HDD,HM Removal tool	97200010000	

HDD 示例套图
Sample Diagram

上壳
Hoods



母插针
Female contacts



母插体
Female insert



公插体
Male insert



公插针
Male contacts



下壳
Housings



HDD | 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications	DIN EN 60 664 DIN EN 61 984
-------------------	--------------------------------

接插体/Inserts

接插件针数/Number of contacts	24,42,72,108,144,216 144(2x72),216(2x108)+PE
--------------------------	---

工作电流/Working current	10A
(见负载图/See current carrying capacity)	

工作电压/Working voltage	250V
----------------------	------

额定脉冲耐受电压/Rated impulse voltage	4KV
--------------------------------	-----

污染等级/Pollution degre	3
----------------------	---

当污染程度2时参数/Pollution degree 2 also	10A 230V/400V 4KV 2
-----------------------------------	---------------------

绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
---------------------------	----------------------

材料/Material	Polycarbonate
-------------	---------------

阻燃等级UL94/Flammability acc.to(UL94)	V0
------------------------------------	----

工作温度范围/Limiting temperature	-40°C~+125°C
-----------------------------	--------------

插拔次数/Mechanical working life(mating cycles)	≥ 500
---	------------

据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V
---	------

接插针/Contacts

材料/Material	铜/Copper alloy
-------------	----------------

表面处理/Surface	镀金/Gold plated
--------------	----------------

	镀银/Silver plated
--	------------------

接触电阻/Contact resistance	$\leq 3m\Omega$
-------------------------	-----------------



接线形式/Terminal	冷压连接/Crimp terminal
---------------	---------------------

导线规格/Wire gauge	0.14~2.5mm ² (AWG26-14)
-----------------	------------------------------------



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

■ HZW-HDD-024
■ HZW-HDD-042
■ HZW-HDD-072
■ HZW-HDD-108



产品选型表

Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HDD-	024-MC/FC	H6B	冷压	250V,4KV,污3	10A,冷压针需另行购买
	042-MC/FC	H10B			
	072-MC/FC	H16B			
	108-MC/FC	H24B			
	144-MC/FC	H32B			
	216-MC/FC	H48B			



250V 10A 24,42+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-024-MC	80230024221		
	母/Female HZW-HDD-024-FC	80230024220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-042-MC	80230042221		
	母/Female HZW-HDD-042-FC	80230042220		

250V 10A 72+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-072-MC (1-72)	80230072221		
	母/Female HZW-HDD-072-FC (1-72)	80230072220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-072-MC (73-144)	80230072241		
	母/Female HZW-HDD-072-FC (73-144)	80230072240		

250V 10A 108+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-108-MC (1-108)	80230108221		
	母/Female HZW-HDD-108-FC (1-108)	80230108220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-108-MC (109-216)	80230108241		
	母/Female HZW-HDD-108-FC (109-216)	80230108240		

250V 10A 144,216+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-144-MC (1-72)(73-144)	80230144281		
	母/Female HZW-HDD-144-FC (1-72)(73-144)	80230144280		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDD-216-MC (1-108)(109-216)	80230216281		
	母/Female HZW-HDD-216-FC (1-108)(109-216)	80230216280		

配套冷压针
Crimp Contacts

(10A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤3mΩ
Contact resistance:≤3mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



10A 冷压针/10A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length		公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No
0.14-0.37mm ²	AWG 26-22	7mm	CIGM-0.37	70010111037	CIGF-0.37	70010110037	CISM-0.37	70010211037	CISF-0.37	70010210037
0.5mm ²	AWG 20	7mm	CIGM-0.5	70010111050	CIGF-0.5	70010110050	CISM-0.5	70010211050	CISF-0.5	70010210050
0.75mm ²	AWG 18	7mm	CIGM-0.75	70010111075	CIGF-0.75	70010110075	CISM-0.75	70010211075	CISF-0.75	70010210075
1.0mm ²	AWG 18	7mm	CIGM-1.0	70010111100	CIGF-1.0	70010110100	CISM-1.0	70010211100	CISF-1.0	70010210100
1.5mm ²	AWG 16	7mm	CIGM-1.5	70010111150	CIGF-1.5	70010110150	CISM-1.5	70010211150	CISF-1.5	70010210150
2.5mm ²	AWG 14	7mm	CIGM-2.5	70010111250	CIGF-2.5	70010110205	CISM-2.5	70010211250	CISF-2.5	70010210250

冷压针工具/Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HD,HDD,HM退针器 /HD,HDD,HM Removal tool	97200010000	

HE 示例套图
Sample Diagram

上壳
Hoods



母插体
Female insert



公插体
Male insert



下壳
Housings



HE | 技术特性 Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications DIN EN 60 664
DIN EN 61 984

接插体/Inserts

接插件针数/Number of contacts 6,10,16,24,32,48
32(2x16),48(2x24)+PE

工作电流/Working current 16A
(见负载图/See current carrying capacity)

工作电压/Working voltage 500V

额定脉冲耐受电压/Rated impulse voltage 6KV

污染等级/Pollution degre 3

绝缘电阻/Insulation resistanc ≥10¹⁰Ω

材料/Material Polycarbonate

阻燃等级UL94/Flammability acc.to(UL94) V0

工作温度范围/Limiting temperature -40°C~+125°C

插拔次数/Mechanical working life(mating cycles) ≥500

据UL/CSA工作电压/Working voltage acc.to UL/CSA 600V

接插针/Contacts

材料/Material 铜/Copper alloy

表面处理/Surface 镀银/Silver plated

接触电阻/Contact resistance ≤1mΩ

接线形式/Terminal 螺钉连接/Screw terminal

导线规格/Wire gauge 1.0~2.5mm²(AWG18-14)



螺钉拧紧力矩/Screw terminal tightenin 0.5Nm

剥线长度/Stripping length 7-9mm



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

■ HZW-HE-006
■ HZW-HE-016
■ HZW-HE-010
■ HZW-HE-024



产品选型表 Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HE-	006-M/F	H6B 	螺钉	500V,6KV,污3	16A
	010-M/F	H10B 			
	016-M/F	H16B 			
	024-M/F	H24B 			
	032-M/F	H32B 			
	048-M/F	H48B 			

500V 16A 6,10+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HE-006-M	80240006121		
	母/Female HZW-HE-006-F	80240006120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HE-010-M	80240010121		
	母/Female HZW-HE-010-F	80240010120		

500V 16A 16+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HE-016-M (1-16)	80240016121		
	母/Female HZW-HE-016-F (1-16)	80240016120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HE-016-M (17-32)	80240016141		
	母/Female HZW-HE-016-F (17-32)	80240016140		

500V 16A 24+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	HZW-HE-024-M (1-24)	80240024121		
	HZW-HE-024-F (1-24)	80240024120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	HZW-HE-024-M (25-48)	80240024141		
	HZW-HE-024-F (25-48)	80240024140		

500V 16A 32,48+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	HZW-HE-032-M (1-16)(17-32)	80240032181		
	HZW-HE-032-F (1-16)(17-32)	80240032180		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	HZW-HE-048-M (1-24)(25-48)	80240048181		
	HZW-HE-048-F (1-24)(25-48)	80240048180		

HEE | 示例套图

Sample Diagram

上壳
Hoods



母插针
Female contacts



母插体
Female insert



公插体
Male insert



公插针
Male contacts



下壳
Housings



HEE | 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications	DIN EN 60 664 DIN EN 61 984
-------------------	--------------------------------

接插体/Inserts

接插件针数/Number of contacts	10,18,32,46,64,92 64(2x32),92(2x46)+PE
工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	500V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degree	3
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V



接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀金/Gold plated 镀银/Silver plated
接触电阻/Contact resistance	$\leq 1m\Omega$
接线形式/Terminal	冷压连接/Crimp terminal
导线规格/Wire gauge	0.14~4.0mm ² (AWG26-14)
剥线长度/Stripping length	7.5mm



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

① HZW-HEE-010
② HZW-HEE-018
③ HZW-HEE-032
④ HZW-HEE-046









产品选型表
Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HEE-	010-MC/FC	H6B	冷压	250V, 4KV, 污3	16A, 冷压针需另行购买 
	018-MC/FC	H10B			
	032-MC/FC	H16B			
	046-MC/FC	H24B			
	064-MC/FC	H32B			
	092-MC/FC	H48B			

500V 16A 10,18+ 

 插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-010-MC	80250010221		
	母/Female HZW-HEE-010-FC	80250010220		
	公/Male HZW-HEE-018-MC	80250018221		
	母/Female HZW-HEE-018-FC	80250018220		

500V 16A 32+

CE ENEC

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-032-MC (1-32)	80250032221		
	母/Female HZW-HEE-032-FC (1-32)	80250032220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-032-MC (33-64)	80250032241		
	母/Female HZW-HEE-032-FC (33-64)	80250032240		

500V 16A 46+

CE ENEC

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-046-MC (1-46)	80250046221		
	母/Female HZW-HEE-046-FC (1-46)	80250046220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-046-MC (47-92)	80250046241		
	母/Female HZW-HEE-046-FC (47-92)	80250046240		

500V 16A 64,92+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-064-MC (1-32)(33-64)	80250046241		
	母/Female HZW-HEE-064-FC (1-32)(33-64)	80250046240		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEE-092-MC (1-46)(47-92)	80250092281		
	母/Female HZW-HEE-092-FC (1-46)(47-92)	80250092280		

配套冷压针
Crimp Contacts

(16A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤1mΩ
Contact resistance:≤1mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



16A 冷压针/16A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	
0.14-0.37mm ²	AWG 26-22	7.5mm	CEGM-0.37	70016101037	CEGF-0.37	70016100037	CESM-0.37	70016201037	CESF-0.37	70016200037
0.5mm ²	AWG 20	7.5mm	CEGM-0.5	70016101050	CEGF-0.5	70016100050	CESM-0.5	70016201050	CESF-0.5	70016200050
0.75mm ²	AWG 18	7.5mm	CEGM-0.75	70016101075	CEGF-0.75	70016100075	CESM-0.75	70016201075	CESF-0.75	70016200075
1.0mm ²	AWG 18	7.5mm	CEGM-1.0	70016101100	CEGF-1.0	70016100100	CESM-1.0	70016201100	CESF-1.0	70016200100
1.5mm ²	AWG 16	7.5mm	CEGM-1.5	70016101150	CEGF-1.5	70016100150	CESM-1.5	70016201150	CESF-1.5	70016200150
2.5mm ²	AWG 14	7.5mm	CEGM-2.5	70016101250	CEGF-2.5	70016100250	CESM-2.5	70016201250	CESF-2.5	70016200250
3.0mm ²	AWG 12	7.5mm	CEGM-3.0	70016101300	CEGF-3.0	70016100300	CESM-3.0	70016201300	CESF-3.0	70016200300
4.0mm ²	AWG 12	7.5mm	CEGM-4.0	70016101400	CEGF-4.0	70016100400	CESM-4.0	70016201400	CESF-4.0	70016200400





冷压针工具 Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HEE,HQ,HM退针器 HEE,HQ,HM Removal tool	97200016000	

500V 16A 40+

CE ENEC

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HEEE-040-MC (1-40)	80250040221		
	母/Female HZW-HEEE-040-FC (1-40)	80250040220		

HEEE

HVE 示例套图
Sample Diagram

上壳
Hoods



母插体
Female insert



公插体
Male insert



下壳
Housings



HVE



HVE | 技术特性 Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications DIN EN 60 664
DIN EN 61 984

接插体/Inserts

接插件针数/Number of contacts	3,6,10,12(2x6) 20(2x10)+PE
工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	830V
额定脉冲耐受电压/Rated impulse voltage	8KV
污染等级/Pollution degre	3
当污染程度2时参数/Pollution degree 2 als	16A 1000V 8KV 2
或/or	16A 720/1250V 8KV 2
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V
继电器针/Relay Contacts	250V
绝缘电阻/Insulation resistanc	≥10 ¹⁰ Ω
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥500



接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Silver plated
接触电阻/Contact resistance	≤1mΩ
接线形式/Terminal	螺钉连接/Screw terminal
导线规格/Wire gauge	1.0~2.5mm ² (AWG18-14)
螺钉拧紧力矩/Screw terminal tightenin	0.5Nm
剥线长度/Stripping length	7-9mm



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

■ HZW-HVE-003
■ HZW-HVE-006
■ HZW-HVE-010



产品选型表 Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HVE-	003-M/F	HV10B	螺钉	830V,8KV,污3	16A
	006-M/F	HV16B			
	012-M/F(2*6)	HV32B			
	010-M/F	HV24B			
	020-M/F(2*10)	HV48B			
	016-M/F	HV24B			
032-M/F(2*16)	HV48B	400/690V,污3			

830V 16A 3+2+

830V 16A 6+2+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HVE-003-M	80260003121		
	母/Female HZW-HVE-003-F	80260003120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HVE-006-M	80260006121		
	母/Female HZW-HVE-006-F	80260006120		

830V 16A 10+2+

830V 16A 12+4+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HVE-010-M	80260010121		
	母/Female HZW-HVE-010-F	80260010120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HVE-012-M	80260012181		
	母/Female HZW-HVE-012-F	80260012180		

830V 16A 20+4+

插芯/Insert

HVE

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male	HZW-HVE-020-M	80260020181	
	母/Female	HZW-HVE-020-F	80260020180	

HVE | 技术特性 Technical Characteristics



电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications

DIN EN 60 664
DIN EN 61 984

接插体/Inserts


接插件针数/Number of contacts	16,32(2x16)+PE
工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	400/690V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3
或/or	16A 500V 6KV 3
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V
继电器针/Relay Contacts	250V
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500

接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Silver plated
接触电阻/Contact resistance	$\leq 1m\Omega$
接线形式/Terminal	螺钉连接/Screw terminal
导线规格/Wire gauge	1.0~2.5mm ² (AWG18-14)
螺钉拧紧力矩/Screw terminal tightenin	0.5Nm
剥线长度/Stripping length	7-9mm

测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

HVE



400/690V 16A 16+2+

400/690V 16A 32+4+

插芯/Insert

HVE

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HVE-016-M	80260016121		
	母/Female HZW-HVE-016-F	80260016120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HVE-032-M	80260032181		
	母/Female HZW-HVE-032-F	80260032180		

HSB


示例套图
Sample Diagram

HSB

上壳
Hoods



母插体
Female insert



公插体
Male insert



下壳
Housings



HSB | 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications DIN EN 60 664
DIN EN 61 984

接插体/Inserts

接插件针数/Number of contacts	6,12,(2X6)+PE
工作电流/Working current (见负载图/See current carrying capacity)	35A
工作电压/Working voltage	400/690V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3
绝缘电阻/Insulation resistance	≥10 ¹⁰ Ω
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥500
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V


接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Silver plated
接触电阻/Contact resistance	≤1mΩ
接线形式/Terminal	螺钉连接/Screw terminal
导线规格/Wire gauge	4.0~6.0mm ² (AWG12-10)
螺钉拧紧力矩/Screw terminal tightenin	1.2Nm



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

■ wire gauge:4.0mm²
■ wire gauge:6.0mm²



产品选型表

Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HSB	004-M/F	H10B 	螺钉	400/690V,6KV,污3	35A
	006-M/F	H16B 			
	012-M/F(2*6)	H32B 			

插体/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HSB-004-M	80270004121		
	母/Female HZW-HSB-004-F	80270004120		

400/690V 35A 6,12+

插芯/Insert

HSB

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HSB-006-M	80270006121		
	母/Female HZW-HSB-006-F	80270006120		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HSB-012-M 2*(1-6)	80270012181		
	母/Female HZW-HSB-012-F 2*(1-6)	80270012180		

HQ | 示例套图
Sample Diagram

上壳
Hoods



母插针
Female contacts



母插体
Female insert



公插体
Male insert



公插针
Male contacts



下壳
Housings



HQ

HQ 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications

DIN EN 60 664
DIN EN 61 984

接插体/Inserts


接插件针数/Number of contacts	5+PE
工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	230/400V
额定脉冲耐受电压/Rated impulse voltage	4KV
污染等级/Pollution degre	3
当污染程度2时参数/Pollution degree 2 also	16A 320/500V 4KV 2
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V

接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀金/Gold plated 镀银/Silver plated
接触电阻/Contact resistance	$\leq 1m\Omega$
接线形式/Terminal	冷压连接/Crimp terminal
导线规格/Wire gauge	0.14~4.0mm ² (AWG26-12)
PE导线规格/Wire gauge	2.5mm ² (AWG14)



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5



产品选型表

Product Selection Table

插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HQ-	005/0-MC/FC	H3A	冷压	230/400V,4KV,污3	16A(冷压针需另行购买)
	007/0-MC/FC			400V,6KV,污3	10A(冷压针需另行购买)
	012/0-MC/FC			400V,6KV,污3	

230/400V 16A 5+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male	HZW-HQ-005/0-MC	80280005221	
	母/Female	HZW-HQ-005/0-FC	80280005220	

HQ | 技术特性 Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications

DIN EN 60 664
DIN EN 61 984

接插体/Inserts


接插件针数/Number of contacts	7+PE
工作电流/Working current (见负载图/See current carrying capacity)	10A
工作电压/Working voltage	400V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3
当污染程度2时参数/Pollution degree 2 also	10A 400/690V 6KV 2
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V

接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀金/Gold plated 镀银/Silver plated
接触电阻/Contact resistance	$\leq 3m\Omega$
接线形式/Terminal	冷压连接/Crimp terminal
导线规格/Wire gauge	0.14~2.5mm ² (AWG26-14)
PE导线规格/Wire gauge	2.5mm ² (AWG14)



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5



400V 10A 7+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HQ-007/0-MC	80280007221		
	母/Female HZW-HQ-007/0-FC	80280007220		

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	2D图
	公/Male HZW-KRCP-Q7M	80280007990		
	母/Female HZW-KRCP-Q7F	80280007991		

HQ | 技术特性 Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications

DIN EN 60 664
DIN EN 61 984

接插体/Inserts


接插件针数/Number of contacts	12+PE
工作电流/Working current (见负载图/See current carrying capacity)	10A
工作电压/Working voltage	400V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3
当污染程度2时参数/Pollution degree 2 also	10A 400/690V 6KV 2
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500

接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀金/Gold plated 镀银/Silver plated
接触电阻/Contact resistance	$\leq 3m\Omega$
接线形式/Terminal	冷压连接/Crimp terminal
导线规格/Wire gauge	0.14~2.5mm ² (AWG26-14)
PE导线规格/Wire gauge	0.5~2.5mm ² (AWG20-14)



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5



830V 40A 3+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HQ-003/0-MC	80280003221		
	母/Female HZW-HQ-003/0-FC	80280003220		

配套冷压针
Crimp Contacts

(16A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤1mΩ
Contact resistance:≤1mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



16A 冷压针/16A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	
0.14-0.37mm ²	AWG 26-22	7.5mm	CEGM-0.37	70016101037	CEGF-0.37	70016100037	CESM-0.37	70016201037	CESF-0.37	70016200037
0.5mm ²	AWG 20	7.5mm	CEGM-0.5	70016101050	CEGF-0.5	70016100050	CESM-0.5	70016201050	CESF-0.5	70016200050
0.75mm ²	AWG 18	7.5mm	CEGM-0.75	70016101075	CEGF-0.75	70016100075	CESM-0.75	70016201075	CESF-0.75	70016200075
1.0mm ²	AWG 18	7.5mm	CEGM-1.0	70016101100	CEGF-1.0	70016100100	CESM-1.0	70016201100	CESF-1.0	70016200100
1.5mm ²	AWG 16	7.5mm	CEGM-1.5	70016101150	CEGF-1.5	70016100150	CESM-1.5	70016201150	CESF-1.5	70016200150
2.5mm ²	AWG 14	7.5mm	CEGM-2.5	70016101250	CEGF-2.5	70016100250	CESM-2.5	70016201250	CESF-2.5	70016200250
3.0mm ²	AWG 12	7.5mm	CEGM-3.0	70016101300	CEGF-3.0	70016100300	CESM-3.0	70016201300	CESF-3.0	70016200300
4.0mm ²	AWG 12	7.5mm	CEGM-4.0	70016101400	CEGF-4.0	70016100400	CESM-4.0	70016201400	CESF-4.0	70016200400

冷压针工具 Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HEE,HQ,HM退针器 HEE,HQ,HM Removal tool	97200016000	

配套冷压针
Crimp Contacts

(10A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤3mΩ
Contact resistance:≤3mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



10A 冷压针/10A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length		公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No
0.14-0.37mm ²	AWG 26-22	8mm	CIGM-0.37	70010111037	CIGF-0.37	70010110037	CISM-0.37	70010211037	CISF-0.37	70010210037
0.5mm ²	AWG 20	8mm	CIGM-0.5	70010111050	CIGF-0.5	70010110050	CISM-0.5	70010211050	CISF-0.5	70010210050
0.75mm ²	AWG 18	8mm	CIGM-0.75	70010111075	CIGF-0.75	70010110075	CISM-0.75	70010211075	CISF-0.75	70010210075
1.0mm ²	AWG 18	8mm	CIGM-1.0	70010111100	CIGF-1.0	70010110100	CISM-1.0	70010211100	CISF-1.0	70010210100
1.5mm ²	AWG 16	8mm	CIGM-1.5	70010111150	CIGF-1.5	70010110150	CISM-1.5	70010211150	CISF-1.5	70010210150
2.5mm ²	AWG 14	8mm	CIGM-2.5	70010111250	CIGF-2.5	70010110205	CISM-2.5	70010211250	CISF-2.5	70010210250

冷压针工具 Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HD,HDD,HM退针器 /HD,HDD,HM Removal tool	97200010000	

HK 示例套图
Sample Diagram

上壳
Hoods



母插体
Female insert



公插体
Male insert



下壳
Housings



HK | 技术特性

Technical Characteristics

电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications DIN EN 60 664
DIN EN 61 984

接插体/Inserts

接插件针数/Number of contacts	4/0+PE,4/2+PE
工作电流/Working current (见负载图/See current carrying capacity)	80A
工作电压/Working voltage	690V
额定脉冲耐受电压/Rated impulse voltage	8KV
污染等级/Pollution degre	3
工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	400V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3
当污染程度2时参数/Pollution degree 2 also	16A 400/690V 6KV 2
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V/300V
绝缘电阻/Insulation resistanc	≥10 ¹⁰ Ω
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥500

接插针/Contacts


材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Silver plated
接触电阻/Contact resistance	电源/Power areas≤3mΩ 信号/Signal areas≤1mΩ
接线形式/Terminal	螺钉连接/Screw terminal
导线规格/Wire gauge	电源/Power area 1.5-16mm ² (AWG16-6) 信号/Signal area 1.0-2.5mm ² (AWG18-14) 信号/Signal area 0.5Nm 电源/Power area

螺钉拧紧力矩/Screw terminal tightenin	mm ²	1.5	2.5	4	6	10	16
	N.m	1.2	2	3	3	3	3



测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

■ wire gauge:16mm²
■ wire gauge:10mm²



产品选型表

Product Selection Table



插体系列	型号	配套外壳	连接方式	电压	插针(电流)
HZW-HK-	004/0-M/F	H16B	螺钉	690V,8KV,污3	80A
	004/2-M/F			690V,8KV,污3 信400V,6KV,污3	80A/信16A
	004/8-M/F	H24B		400V,6KV,污3 信400V,6KV,污3	80A/信16A
	8/24-MC/FC	H10B	冷压	230/400V,4KV,污3 信160V,2.5KV,污3	16A/信10A (冷压针需另行购买)



690/400V 80/16A 4/0,4/2+ ⊕

UL eUL CE ENE CCC

插芯/Insert

HK

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male	HZW-HK-004/0-M	80290040121	
	母/Female	HZW-HK-004/0-F	80290040120	

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male	HZW-HK-004/2-M	80290042121	
	母/Female	HZW-HK-004/2-F	80290042120	

HK | 技术特性

Technical Characteristics



电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

规范/Specifications

DIN EN 60 664
DIN EN 61 984

接插体/Inserts

接插件针数/Number of contacts	4/8+PE
工作电流/Working current (见负载图/See current carrying capacity)	80A
工作电压/Working voltage	400V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3

工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	400V
额定脉冲耐受电压/Rated impulse voltage	6KV
污染等级/Pollution degre	3
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V/600V
绝缘电阻/Insulation resistanc	≥10 ¹⁰ Ω
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥500


接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Silver plated
接触电阻/Contact resistance	电源/Power areas≤3mΩ 信号/Signal areas≤1mΩ
接线形式/Terminal	螺钉连接/Screw terminal
导线规格/Wire gauge	电源/Power area 1.5-16mm ² (AWG16-6) 信号/Signal area 0.5-2.5mm ² (AWG20-14) 信号/Signal area 0.5Nm 电源/Power area

螺钉拧紧力矩/Screw terminal tightenin	mm ²	1.5	2.5	4	6	10	16
	N.m	1.2	2	3	3	3	3

测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

■ wire gauge:16mm²
■ wire gauge:10mm²



690/400V 80/16A 4/8+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HK-004/8-M	80290048121		
	母/Female HZW-HK-004/8-F	80290048120		

HK | 技术特性

Technical Characteristics



电流负载能力/Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

测试和控制过程依据 DIN EN 60512-5
Control and test procedures according to DIN EN 60512-5

规范/Specifications

DIN EN 60 664
DIN EN 61 984


接插体/Inserts

接插件针数/Number of contacts	8/24+PE
工作电流/Working current (见负载图/See current carrying capacity)	16A
工作电压/Working voltage	230V/400V
额定脉冲耐受电压/Rated impulse voltage	4KV
污染等级/Pollution degre	3
当污染程度2时参数/Pollution degree 2 also	10A 250V 2 4KV
工作电流/Working current (见负载图/See current carrying capacity)	10A
工作电压/Working voltage	160V
额定脉冲耐受电压/Rated impulse voltage	2.5KV
污染等级/Pollution degre	3
据UL/CSA工作电压/Working voltage acc.to UL/CSA	600V/300V
绝缘电阻/Insulation resistanc	$\geq 10^{10}\Omega$
材料/Material	Polycarbonate
阻燃等级UL94/Flammability acc.to(UL94)	V0
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life(mating cycles)	≥ 500

接插针/Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀金/Gold plated 镀银/Silver plated
接触电阻/Contact resistance	$\leq 1m\Omega/3m\Omega$
接线形式/Terminal	冷压连接/Crimp terminal
导线规格/Wire gauge	0.5-4.0mm ² /0.14-2.5mm ² AWG20-12/26-14

wire gauge:4.0mm²
 wire gauge:2.5mm²



400/100V 8/24+

插芯/Insert

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HK-8/24-MC	80290824221		
	母/Female HZW-HK-8/24-FC	80290824220		

HK

HK

配套冷压针
Crimp Contacts

(16A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤1mΩ
Contact resistance:≤1mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



16A 冷压针/16A Crimp contacts		镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated				
线径/ Wire gauge	接线长度/ Stripping length	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	
0.14-0.37mm ²	AWG 26-22	7.5mm	CEGM-0.37	70016101037	CEGF-0.37	70016100037	CESM-0.37	70016201037	CESF-0.37	70016200037
0.5mm ²	AWG 20	7.5mm	CEGM-0.5	70016101050	CEGF-0.5	70016100050	CESM-0.5	70016201050	CESF-0.5	70016200050
0.75mm ²	AWG 18	7.5mm	CEGM-0.75	70016101075	CEGF-0.75	70016100075	CESM-0.75	70016201075	CESF-0.75	70016200075
1.0mm ²	AWG 18	7.5mm	CEGM-1.0	70016101100	CEGF-1.0	70016100100	CESM-1.0	70016201100	CESF-1.0	70016200100
1.5mm ²	AWG 16	7.5mm	CEGM-1.5	70016101150	CEGF-1.5	70016100150	CESM-1.5	70016201150	CESF-1.5	70016200150
2.5mm ²	AWG 14	7.5mm	CEGM-2.5	70016101250	CEGF-2.5	70016100250	CESM-2.5	70016201250	CESF-2.5	70016200250
3.0mm ²	AWG 12	7.5mm	CEGM-3.0	70016101300	CEGF-3.0	70016100300	CESM-3.0	70016201300	CESF-3.0	70016200300
4.0mm ²	AWG 12	7.5mm	CEGM-4.0	70016101400	CEGF-4.0	70016100400	CESM-4.0	70016201400	CESF-4.0	70016200400

冷压针工具 Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HEE,HQ,HM退针器 HEE,HQ,HM Removal tool	97200016000	

配套冷压针
Crimp Contacts

(10A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤3mΩ
Contact resistance:≤3mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



10A 冷压针/10A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length		公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No
0.14-0.37mm ²	AWG 26-22	8mm	CIGM-0.37	70010111037	CIGF-0.37	70010110037	CISM-0.37	70010211037	CISF-0.37	70010210037
0.5mm ²	AWG 20	8mm	CIGM-0.5	70010111050	CIGF-0.5	70010110050	CISM-0.5	70010211050	CISF-0.5	70010210050
0.75mm ²	AWG 18	8mm	CIGM-0.75	70010111075	CIGF-0.75	70010110075	CISM-0.75	70010211075	CISF-0.75	70010210075
1.0mm ²	AWG 18	8mm	CIGM-1.0	70010111100	CIGF-1.0	70010110100	CISM-1.0	70010211100	CISF-1.0	70010210100
1.5mm ²	AWG 16	8mm	CIGM-1.5	70010111150	CIGF-1.5	70010110150	CISM-1.5	70010211150	CISF-1.5	70010210150
2.5mm ²	AWG 14	8mm	CIGM-2.5	70010111250	CIGF-2.5	70010110250	CISM-2.5	70010211250	CISF-2.5	70010210250

冷压针工具 Crimp contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HD,HDD,HM退针器 /HD,HDD,HM Removal tool	97200010000	

HM 技术特性
Technical Characteristics








规范/Specifications






DIN EN 60 664
DIN EN 61 984

模块数量/Number of modules	2,3,4,6
接地线/PE contact	
-功率线/Power side	4~10mm ² AWG12~8
-信号线/Signal side	1~2.5mm ² AWG18~14
材料/Material	压铸锌合金/Zinc die-cast
工作温度范围/Limiting temperature	-40°C~+125°C
插拔次数/Mechanical working life (Mating cycles)	≥500







活动框架 Hinged Frames	标示 Marking	型号 Type	订货号 Part number	尺寸图/Drawings																				
		HZW-HFX-LE	20200001200	<p>Panel cut out</p> <table border="1"> <thead> <tr> <th>Size</th> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>HZW-HF6B</td> <td>44</td> <td>35</td> <td>52</td> </tr> <tr> <td>HZW-HF10B</td> <td>57</td> <td>49</td> <td>66</td> </tr> <tr> <td>HZW-HF16B</td> <td>77.5</td> <td>64</td> <td>85.5</td> </tr> <tr> <td>HZW-HF24B</td> <td>104</td> <td>94</td> <td>112</td> </tr> </tbody> </table>	Size	a	b	c	HZW-HF6B	44	35	52	HZW-HF10B	57	49	66	HZW-HF16B	77.5	64	85.5	HZW-HF24B	104	94	112
Size	a	b	c																					
HZW-HF6B	44	35	52																					
HZW-HF10B	57	49	66																					
HZW-HF16B	77.5	64	85.5																					
HZW-HF24B	104	94	112																					
固定块 Locking element for hinged frames																								

活动框架 Hinged Frames	标示 Marking	型号 Type	订货号 Part number	尺寸图/Drawings
 <p>适用于2个模块状/For 2 modules 适用于所有6B外壳 Suitable for all hoods/housings of size 6B</p>	A-B	HZW-HF6B-UA	20212006001	
	a-b	HZW-HF6B-LA	20212006002	
 <p>适用于3个模块状/For 3 modules 适用于所有10B外壳 Suitable for all hoods/housings of size 10B</p>	A-C	HZW-HF10B-UA	20213010001	
	a-c	HZW-HF10B-LA	20213010002	
 <p>适用于4个模块状/For 4 modules 适用于所有16B外壳 Suitable for all hoods/housings of size 16B</p>	A-D	HZW-HF16B-UA	20214016001	
	a-d	HZW-HF16B-LA	20214016002	
 <p>适用于6个模块状/For 6 modules 适用于所有24B外壳 Suitable for all hoods/housings of size 24B</p>	A-F	HZW-HF24B-UA	20216024001	
	a-f	HZW-HF24B-LA	20216024002	






HM模块技术特性/Hinged frames Technical characteristics

型号/Type 订货号/Part number	尺寸图/Drawing	技术参数/Technical parameters
 HZW-H2MK-001.1-M (25-40) 80300001121	 HZW-H2MK-001.1-F (25-40) 80300001120	 接插件针数/Number of contacts:1 工作电流/Working current:200A 工作电压/Working voltage:1000V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:2mΩ 轴向螺连接/Screw terminal:25-70mm ² (AWG2...0) 内六角扳手/Hexagonal driver:SW 5
 HZW-H2MK-001.2-M (40-70) 80300004121	 HZW-H2MK-001.2-F (40-70) 80300004120	 接插件针数/Number of contacts:2 工作电流/Working current:100A 工作电压/Working voltage:1000V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:3mΩ 轴向螺连接/Screw terminal:10-38mm ² (AWG6...2) 内六角扳手/Hexagonal driver:SW 4
 HZW-H2MK-002.1-M (10-25) 80301002121	 HZW-H2MK-002.1-F (10-25) 80301002120	 接插件针数/Number of contacts:2 工作电流/Working current:70A 工作电压/Working voltage:1000V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:0.5mΩ 螺钉连接/Screw terminal:6-22mm ² (AWG8...4) 内六角扳手/Hexagonal driver:SW 2.5
 HZW-HMK7-002.2-M (14-22) 80303002131	 HZW-HMK7-002.2-F (14-22) 80303002130	 接插件针数/Number of contacts:2 工作电流/Working current:40A 工作电压/Working voltage:1000V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:0.5mΩ 轴向螺连接/Screw terminal:2.5-10mm ² (AWG14...8) 内六角扳手/Hexagonal driver:SW 2

HM模块技术特性/Hinged frames Technical characteristics

型号/Type 订货号/Part number	尺寸图/Drawing	技术参数/Technical parameters
 HZW-HMK2-002-MC 80305002221 HZW-HMK2-002-FC 80305002220		接插件针数/Number of contacts:2 工作电流/Working current:40A 工作电压/Working voltage:1000V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:3mΩ 冷压连接/Crimp terminal:1.5-10mm ²
 HZW-HMK3-003.1-M(2.5-8) 80306003121 HZW-HMK3-003.1-F(2.5-8) 80306003120  HZW-HMK3-003.2-M(6-10) 80306004121 HZW-HMK3-003.2-F(6-10) 80306004120		接插件针数/Number of contacts:3 工作电流/Working current:40A 工作电压/Working voltage:690V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:0.5mΩ 轴向螺连接/Screw terminal:2.5-10mm ² (AWG14...8) 内六角扳手/Hexagonal driver:SW 2
 HZW-HMK3-003-MC 80307003221 HZW-HMK3-003-FC 80307003220		接插件针数/Number of contacts:3 工作电流/Working current:40A 工作电压/Working voltage:500V 额定脉冲耐受电压/Rated impulse voltage:6KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:3mΩ 冷压连接/Crimp terminal:1.5-10mm ² (AWG16-8)
 HZW-HMK4-004-MC 80308004221 HZW-HMK4-004-FC 80308004220		接插件针数/Number of contacts:4 工作电流/Working current:40A 工作电压/Working voltage:830V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:3mΩ 冷压连接/Crimp terminal:1.5-10mm ² (AWG16-8)
 HZW-HMKX-003/4-MC 80309034221 HZW-HMKX-003/4-FC 80309034220		接插件针数/Number of contacts:3/4 工作电流/Working current:电源/Power area:40A 信号/Signal area:10A 工作电压/Working voltage:830V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀金, 镀银/Copper alloy, Gold plated, Silver plated 接触电阻/Contact resistance:1mΩ 冷压连接/Crimp terminal:1.5-10mm ² (AWG16-8) 电源/Power area:0.14-2.5mm ² (AWG26-14) 信号/Signal area:0.14-2.5mm ² (AWG26-14)

HM模块技术特性/Hinged frames Technical characteristics

型号/Type 订货号/Part number	尺寸图/Drawing	技术参数/Technical parameters
 HZW-HMK6-006-MC 80310006221 HZW-HMK6-006-FC 80310006220		接插件针数/Number of contacts:6 工作电流/Working current:16A 工作电压/Working voltage:500V 额定脉冲耐受电压/Rated impulse voltage:6KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀金, 镀银/Copper alloy, Gold plated, Silver plated 接触电阻/Contact resistance:1mΩ 冷压连接/Crimp terminal:0.14-4mm ² (AWG26-12)
 HZW-HMK8-008-MC 80311008221 HZW-HMK8-008-FC 80311008220		接插件针数/Number of contacts:8 工作电流/Working current:16A 工作电压/Working voltage:400V 额定脉冲耐受电压/Rated impulse voltage:6KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀金, 镀银/Copper alloy, Gold plated, Silver plated 接触电阻/Contact resistance:1mΩ 冷压连接/Crimp terminal:0.14-4mm ² (AWG26-12)
 HZW-HVME-006-MC 80312006221 HZW-HVME-006-FC 80312006220		接插件针数/Number of contacts:6 工作电流/Working current:16A 工作电压/Working voltage:830V 额定脉冲耐受电压/Rated impulse voltage:8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀金, 镀银/Copper alloy, Gold plated, Silver plated 接触电阻/Contact resistance:1mΩ 冷压连接/Crimp terminal:0.14-4mm ² (AWG26-12)
 HZW-HMKE-005-MS 80313005221 HZW-HMKE-005-FS 80313005220		接插件针数/Number of contacts:5 工作电流/Working current:16A 工作电压/Working voltage:400V 额定脉冲耐受电压/Rated impulse voltage:6KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀银/Copper alloy, Silver plated 接触电阻/Contact resistance:3mΩ 弹片连接/Cage clamp terminal:0.14-2.5mm ² (AWG26-14)
 HZW-HMKD-012-MC 80314012221 HZW-HMKD-012-FC 80314012220		接插件针数/Number of contacts:12 工作电流/Working current:10A 工作电压/Working voltage:250V 额定脉冲耐受电压/Rated impulse voltage:4KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts:铜, 镀金, 镀银/Copper alloy, Gold plated, Silver plated 接触电阻/Contact resistance:3mΩ 冷压连接/Crimp terminal:0.14-2.5mm ² (AWG26-14)

HM模块技术特性/Hinged frames Technical characteristics

型号/Type 订货号/Part number	尺寸图/Drawing	技术参数/Technical parameters
<p>HZW-HMDD-017-MC HZW-HMDD-017-FC 80315017221 80315017220</p>		接插件针数/Number of contacts:17 工作电流/Working current:10A 工作电压/Working voltage:160V 额定脉冲耐受电压/Rated impulse voltage:2.5KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts: 铜, 镀金, 镀银/Copper alloy,Gold plated,Silver plated 接触电阻/Contact resistance:3mΩ 冷压连接/Crimp terminal:0.14-2.5mm ² (AWG26-14)
<p>HZW-HMEE-020-MC HZW-HMEE-020-FC 80317020221 80317020220</p>		接插件针数/Number of contacts:20 工作电流/Working current:16A 工作电压/Working voltage:500V 额定脉冲耐受电压/Rated impulse voltage:6KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 接插件/Contacts: 铜, 镀金, 镀银/Copper alloy,Gold plated,Silver plated 接触电阻/Contact resistance:1mΩ 冷压连接/Crimp terminal:0.14-4mm ² (AWG26-12)
<p>HZW-HM-RJ45-M HZW-HM-RJ45-F 80318045121 80318045120</p>		接插件针数/Number of contacts:8 工作电流/Working current:1A 工作电压/Working voltage:50V 额定脉冲耐受电压/Rated impulse voltage:0.8KV 污染等级/Pollution degree:3 塑件/Housing:Polycarbonate 模块和RJ45终端/Module with RJ45 terminal 绞线直径/Stranded wire diameter (1)0.89-0.99mm ² (AWG24-26) (2)0.94-1.07mm ² (AWG22-24)
<p>HZW-HM-APT 80318045122</p>		绝缘抗体/Insulation resistance:≥10 ¹⁰ Ω 材料/Material:聚碳酸酯/Polycarbonate 温度范围/Limiting temperatures:-40°C~+85°C 阻燃等级UL94/Flammability acc.to(UL94):V0
<p>HZW-HM-APT-1 80318045123</p>		绝缘抗体/Insulation resistance:≥10 ¹⁰ Ω 材料/Material:聚碳酸酯/Polycarbonate 温度范围/Limiting temperatures:-40°C~+85°C 阻燃等级UL94/Flammability acc.to(UL94):V0

HM模块技术特性/Hinged frames Technical characteristics

型号/Type 订货号/Part number	尺寸图/Drawing	技术参数/Technical parameters
<p>HZW-HM-000</p>		材料/Material:聚碳酸酯/polycarbonate 颜色/Colour:RAL 7032(浅灰色/light grey) 温度范围/Temperature range:-40°C~+125°C 阻燃等级UL94/Flammability acc.to(UL94):V0 可插拔次数/Mating cycles:≥500
<p>HZW-HMP-003 HZW-HMP-003 80322003022 80322003022</p>		接插件针数/Number of contacts:3 塑件/Housing:Polycarbonate 工作温度范围/Limiting temperatures:-40°C~+80°C 阻燃等级UL94/Flammability acc.to(UL94) V0 插拔次数/Mechanical working life(mating cycles)≥500 材料/Material:聚甲醛/Delrin acetal 管道直径/Pipe internal diameter:(1.6mm/1/16") 3.0mm(4.0mm/1/8") 工作压力/Working pressure:up 8 bar/116psi 密封件/Sealing:丁晴橡胶/Buna 闭锁阀/Shut off valve:聚丙烯/Polypropylen
<p>HZW-PCM-1.6 HZW-PCM-3.0 HZW-PCM-4.0 80321016001 80321030001 80321040001</p>		无锁止 without shut off 带锁止 with shut off
<p>HZW-PCF-1.6 HZW-PCF-3.0 HZW-PCF-4.0 80321016000 80321030000 80321040000</p>		带锁止 with shut off 无锁止 without shut off
<p>HZW-HMP-002 HZW-HMP-002 80320002022 80320002022</p>		接插件针数/Number of contacts:2 塑件/Housing:Polycarbonate 工作温度范围/Limiting temperatures:-40°C~+80°C 阻燃等级UL94/Flammability acc.to(UL94) V0 插拔次数/Mechanical working life(mating cycles)≥500 材料/Material:聚甲醛/Delrin acetal 管道直径/Pipe internal diameter:6.00mm/1/4" 工作压力/Working pressure:up 8 bar/116psi 密封件/Sealing:丁晴橡胶/Buna
<p>HZW-PCM-6.0 80321060001</p>		无锁止 带锁止
<p>HZW-PCF-6.0</p>		带锁止 无锁止

外壳特性
Hoods & Housings Feature

3A系列金属外壳

材料	压铸锌合金
颜色	灰色
联锁元件联锁方式	扣子
材料	不锈钢
密封元件	丁腈橡胶
适用温度范围	-40~+125°C
阻燃等级	V0
防护等级 (锁状态, 依据EN60529)	IP65

标准外壳

材料	压铸铝合金
颜色	灰色
联锁元件联锁方式	(金属与塑料加滚轮)扣子
材料	不锈钢
密封元件	丁腈橡胶
适用温度范围	-40~+125°C
阻燃等级	V0
防护等级 (锁状态, 依据EN60529)	IP65

可供选择联锁元件(扣子)
Alternative inter locking elements(Lever)

	代码 Code	材料 Material	型号举例 Examples in items
	PL/M	不锈钢 Stainless iron	HZW-H6B-ST-1PL/M 或/or HZW-H24B-ST-2PL/M
	PL/R	塑料加滚轮 Plasice and wheel	HZW-H6B-ST-1PL/R 或/or HZW-H24B-ST-2PL/R

Size 3A Metal Hoods/Housings

Material	zinc die-cast
Color	Grey(RAL 7037)
Locking element Lever Type	Lever
Material	Stainless iron
Hoods/Housings sealing	NBR
Limiting tepeatures	-40~+125°C
Flammability acc.to UI94	V0
Degree of protection acc.to (EN60529 for coupled connector)	IP65

Standard Hoods/Housings

Material	Aluminium die-cast
Color	Grey(RAL 7037)
Locking element Lever Type	(Plasics and wheel)Lever
Material	Stainless iron
Hoods/Housings sealing	NBR
Limiting tepeatures	-40~+125°C
Flammability acc.to UI94	V0
Degree of protection acc.to (EN60529 for coupled connector)	IP65

产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片
H3A	HA-003	
	HA-004	
	HD-007	
	HD-008	
	HQ-005/0	
	HQ-007/0	
	HQ-012/0	

H3A

Size 3A IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG11	HZW-H3A-TK-2g-PG11	65031110111	
M20	HZW-H3A-TK-2g-M20	65031110120	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG11	HZW-H3A-SK-2g-PG11	65031210111	
M20	HZW-H3A-SK-2g-M20	65031210120	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A-ST-1PL	65032540000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A-ST-1PL-MCV	65032542000	

Size 3A IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 侧面进线/Side entry 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A-ST-SK-1PL	65032040000	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M16	HZW-H3A-SG-1PL-M16	65032640116	
PG11	HZW-H3A-SG-1PL-PG11	65032640111	
M20	HZW-H3A-SG-1PL-M20	65032640120	

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG11	HZW-H3A-DJK-1PL-PG11	65032840111	
M20	HZW-H3A-DJK-1PL-M20	65032840120	

防护盖/Protective cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A-MCV-2G/1M	65030012001	
...	HZW-H3A-MCV-2G/1F	65030012002	

Size 3A IP68

UL CE ENEC CCC

外壳/Hoods & Housings

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A.P-CV-2g	6503100010	
...	HZW-H3A.P-CV-2g-1	6503100010-1	

上壳/Housings 顶出线/Top entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H3A.P-TK-2g-M20(灰白)	650311101209	
PG11	HZW-H3A.P-TK-2g-PG11(灰白)	650311101219	

上壳/Hoods 侧出线/Side entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H3A.P-SK-2g-M20(灰白)	650312101209	
PG11	HZW-H3A.P-SK-2g-PG11(灰白)	650312101119	

下壳/Housing 电缆对接/Cable to Cable



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H3A.P-DJK-1PL-M20(灰白)	650328401209	
PG11	HZW-H3A.P-DJK-1PL-PG11(灰白)	650328401119	

Size 3A IP68

UL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housing 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A.P-ST-1PL(灰白)	650311101219	

下壳/Housing 侧面进线/Side entry 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A.P-ST-SK-1PL(灰白)	650320400009	

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG11	HZW-H3A.P-SG-1PL-PG11(灰白)	650326401119	
M20	HZW-H3A.P-SG-1PL-M20(灰白)	650326401119	

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H3A.P-CV-2G/1M(灰白)	6503100020	
...	HZW-H3A.P-CV-2G/1F(灰白)	6503100020-1	
...	HZW-H3A.P-CV-2G/2M(灰白)	6503100021	
...	HZW-H3A.P-CV-2G/2F(灰白)	6503100021-1	

产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片
H10A	HA-010	
	HD-015	

Size 10A IP65

UL cUL CE ENE CQC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG16	HZW-H10A-TKH-2g-PG16	65101310116	
M25	HZW-H10A-TKH-2g-M25	65101310125	
PG21	HZW-H10A-TKH-2g-PG21	65101310121	
M20	HZW-H10A-TKH-2G-M20	65101310120	

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG16	HZW-H10A-SKH-2g-PG16	65101410116	
M25	HZW-H10A-SKH-2g-M25	65101410125	
PG21	HZW-H10A-SKH-2g-PG21	65101410121	
M20	HZW-H10A-SKH-2G-M20	65101410125	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10A-ST-1PL	65102530000	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10A-ST-CV-1PL	65102531000	
	带塑料盖 With Plastic cover		

Size 10A IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10A-SG-1PL-M20	65102630120	
PG16	HZW-H10A-SG-1PL-PG16	65102630116	
M25	HZW-H10A-SG-1PL-M25	65102630125	
PG21	HZW-H10A-SG-1PL-PG21	65102630121	
2M20	HZW-H10A-SG-1PL-2M20	65102630220	
2PG16	HZW-H10A-SG-1PL-2PG16	65102630216	

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10A-SG-CV-1PL-M20	65102631120	
PG16	HZW-H10A-SG-CV-1PL-PG16	65102631116	
M25	HZW-H10A-SG-CV-1PL-M25	65102631125	
PG21	HZW-H10A-SG-CV-1PL-PG21	65102631121	
2M20	HZW-H10A-SG-CV-1PL-2M20	65102631220	
2PG16	HZW-H10A-SG-CV-1PL-2PG16	65102631216	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10A-DJKH-1PL-M25	65101340120	
M20	HZW-H10A-DJKH-1PL-M20	65101340122	

产品选型表

Product Selection Table

外壳系列	配套插体型号	示例图片
H16A	HA-016	
	HD-025	

Size 16A IP65

UL, VDE, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H16A-TK-2g-M20	65161110120	
PG16	HZW-H16A-TK-2g-PG16	65161110116	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG16	HZW-H16A-TKH-2g-PG16	65161310116	
M25	HZW-H16A-TKH-2g-M25	65161310125	
PG21	HZW-H16A-TKH-2g-PG21	65161310121	
M20	HZW-H16A-TKH-2g-M20	65161310120	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG16	HZW-H16A-SKH-2g-PG16	65161410116	
M25	HZW-H16A-SKH-2g-M25	65161410125	
PG21	HZW-H16A-SKH-2g-PG21	65161410121	
M20	HZW-H16A-SKH-2g-M20	65161410120	

Size 16A IP65

UL, VDE, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16A-ST-1PL	65162530000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16A-ST-CV-1PL 带塑料盖 With Plastic cover	65162531000	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H16A-SG-1PL-M20	65162630120	
PG16	HZW-H16A-SG-1PL-PG16	65162630116	
M25	HZW-H16A-SG-1PL-M25	65162630125	
PG21	HZW-H16A-SG-1PL-PG21	65162630121	
2M20	HZW-H16A-SG-1PL-2M20	65162630220	
2PG16	HZW-H16A-SG-1PL-2PG16	65162630216	
2M25	HZW-H16A-SG-1PL-2M25	65162630225	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H16A-SG-CV-1PL-M20	65162631120	
PG16	HZW-H16A-SG-CV-1PL-PG16	65162631116	
M25	HZW-H16A-SG-CV-1PL-M25	65162631125	
PG21	HZW-H16A-SG-CV-1PL-PG21	65162631121	
2M20	HZW-H16A-SG-CV-1PL-2M20	65162631220	
2PG16	HZW-H16A-SG-CV-1PL-2PG16	65162631216	
2M25	HZW-H16A-SG-CV-1PL-2M25	65162631225	
...	带塑料盖 With Plastic cover		

产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片
H32A	HA-032	
	HD-050	

H32A

H32A

Size 32A IP65

UL, CE, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-TKH-4g-M25	65321320125	
PG21	HZW-H32A-TKH-4g-PG21	65321320121	
M32	HZW-H32A-TKH-4g-M32	65321320132	
PG29	HZW-H32A-TKH-4g-PG29	65321320129	

上壳/Hoods 侧面出线/Side entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-SKH-4g-M25	65321420125	
PG21	HZW-H32A-SKH-4g-PG21	65321420121	
M32	HZW-H32A-SKH-4g-M32	65321420132	
PG29	HZW-H32A-SKH-4g-PG29	65321420129	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32A-ST-2PL	65322550000	

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-SG-2PL-M25	65322650125	
PG21	HZW-H32A-SG-2PL-PG21	65322650121	
M32	HZW-H32A-SG-2PL-M32	65322650132	
PG29	HZW-H32A-SG-2PL-PG29	65322650129	
2PG21	HZW-H32A-SG-2PL-2PG21	65322650221	
2M32	HZW-H32A-SG-2PL-2M32	65322650232	
2PG29	HZW-H32A-SG-2PL-2PG29	65322650229	

Size 32A IP65

UL CE ENEC CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-TKH-2PL-M25	65321350125	
PG21	HZW-H32A-TKH-2PL-PG21	65321350121	
M32	HZW-H32A-TKH-2PL-M32	65321350132	
PG29	HZW-H32A-TKH-2PL-PG29	65321350129	

上壳/Hoods 侧面出线/Side entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-SKH-2PL-M25	65321450125	
PG21	HZW-H32A-SKH-2PL-PG21	65321450121	
M32	HZW-H32A-SKH-2PL-M32	65321450132	
PG29	HZW-H32A-SKH-2PL-PG29	65321450129	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32A-ST-4g-CV	65322521000	
	带塑料盖 With Plastic cover		

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32A-ST-4g	65322520000	

Size 32A IP65

UL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-SG-4g-M25	65322620125	
PG21	HZW-H32A-SG-4g-PG21	65322620121	
M32	HZW-H32A-SG-4g-M32	65322620132	
PG29	HZW-H32A-SG-4g-PG29	65322620129	
2PG21	HZW-H32A-SG-4g-2PG21	65322620221	
2M32	HZW-H32A-SG-4g-2M32	65322620232	
2PG29	HZW-H32A-SG-4g-2PG29	65322620229	

下壳/Housings 表面安装/Surface mounting




螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H32A-SG-4g-CV-M25	65322620125	
PG21	HZW-H32A-SG-4g-CV-PG21	65322620121	
M32	HZW-H32A-SG-4g-CV-M32	65322620132	
PG29	HZW-H32A-SG-4g-CV-PG29	65322620129	
2PG21	HZW-H32A-SG-4g-CV-2PG21	65322620221	
2M32	HZW-H32A-SG-4g-CV-2M32	65322620232	
2PG29	HZW-H32A-SG-4g-CV-2PG29	65322620229	
	带塑料盖 With Plastic cover		



HB系列新款底座说明
HB Series Housing Description

产品选型表
Product Selection Table



老款外壳

升级款外壳

新款开孔底座是老款开孔底座的升级版，橡胶垫由外包式升级为内嵌式。在定位尺寸保持不变的同时，最长最宽处尺寸略有增加。

具体参数可见官网：www.oukerui.cn

外壳系列	配套插体型号	示例图片
H6B	HDD-024	
	HE-006	
	HEE-010	

Size 6B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-TK-2g-M20	65063110120	
PG13.5	HZW-H6B-TK-2g-PG13.5	65063110113	
PG16	HZW-H6B-TK-2g-PG16	65063110116	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SK-2g-M20	65063210120	
PG13.5	HZW-H6B-SK-2g-PG13.5	65063210113	
PG16	HZW-H6B-SK-2g-PG16	65063210116	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-TKH-2g-M25	65063310125	
PG21	HZW-H6B-TKH-2g-PG21	65063310121	
M32	HZW-H6B-TKH-2g-M32	65063310132	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SKH-2g-M25	65063410125	
PG21	HZW-H6B-SKH-2g-PG21	65063410121	
M32	HZW-H6B-SKH-2g-M32	65063410132	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-ST-1PL/R	65064530000	

Size 6B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-ST-1PL/M	65064540000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-ST-CV-1PL/R 带塑料盖 With Plastic cover	65064531000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-ST-CV-1PL/M 带塑料盖 With Plastic cover	65064541000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-ST-MCV-1PL/R 带金属盖 With Metal cover	65064532000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-ST-MCV-1PL/M 带金属盖 With Metal cover	65064542000	

Size 6B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SG-1PL/R-M20	65064630120	
PG13.5	HZW-H6B-SG-1PL/R-PG13.5	65064630113	
PG16	HZW-H6B-SG-1PL/R-PG16	65064630116	
M25	HZW-H6B-SG-1PL/R-M25	65064630125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SG-1PL/M-M20	65064640120	
PG13.5	HZW-H6B-SG-1PL/M-PG13.5	65064640113	
PG16	HZW-H6B-SG-1PL/M-PG16	65064640116	
M25	HZW-H6B-SG-1PL/M-M25	65064640125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H6B-SG-1PL/R-2M20	65064630220	
2PG13.5	HZW-H6B-SG-1PL/R-2PG13.5	65064630213	
2PG16	HZW-H6B-SG-1PL/R-2PG16	65064630216	
2M25	HZW-H6B-SG-1PL/R-2M25	65064630225	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H6B-SG-1PL/M-2M20	65064640220	
2PG13.5	HZW-H6B-SG-1PL/M-2PG13.5	65064640213	
2PG16	HZW-H6B-SG-1PL/M-2PG16	65064640216	
2M25	HZW-H6B-SG-1PL/M-2M25	65064640225	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SG-CV-1PL/R-M20	65064631120	
PG13.5	HZW-H6B-SG-CV-1PL/R-PG13.5	65064631113	
PG16	HZW-H6B-SG-CV-1PL/R-PG16	65064631116	
M25	HZW-H6B-SG-CV-1PL/R-M25	65064631125	
	带塑料盖 With Plastic cover		

Size 6B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SG-CV-1PL/M-M20	65064641120	
PG13.5	HZW-H6B-SG-CV-1PL/M-PG13.5	65064641113	
PG16	HZW-H6B-SG-CV-1PL/M-PG16	65064641116	
M25	HZW-H6B-SG-CV-1PL/M-M25	65064641125	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H6B-SG-CV-1PL/R-2M20	65064631220	
2PG13.5	HZW-H6B-SG-CV-1PL/R-2PG13.5	65064631213	
2PG16	HZW-H6B-SG-CV-1PL/R-2PG16	65064631216	
2M25	HZW-H6B-SG-CV-1PL/R-2M25	65064631225	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H6B-SG-CV-1PL/M-2M20	65064641220	
2PG13.5	HZW-H6B-SG-CV-1PL/M-2PG13.5	65064641213	
2PG16	HZW-H6B-SG-CV-1PL/M-2PG16	65064641216	
2M25	HZW-H6B-SG-CV-1PL/M-2M25	65064641225	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SG-MCV-1PL/R-M20	65064632120	
PG13.5	HZW-H6B-SG-MCV-1PL/R-PG13.5	65064632113	
PG16	HZW-H6B-SG-MCV-1PL/R-PG16	65064632116	
M25	HZW-H6B-SG-MCV-1PL/R-M25	65064632125	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-SG-MCV-1PL/M-M20	65064642120	
PG13.5	HZW-H6B-SG-MCV-1PL/M-PG13.5	65064642113	
PG16	HZW-H6B-SG-MCV-1PL/M-PG16	65064642116	
M25	HZW-H6B-SG-MCV-1PL/M-M25	65064642125	
	带金属盖 With Metal cover		

Size 6B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H6B-SG-MCV-1PL/R-2M20	65064632220	
2PG13.5	HZW-H6B-SG-MCV-1PL/R-2PG13.5	65064632213	
2PG16	HZW-H6B-SG-MCV-1PL/R-2PG16	65064632216	
2M25	HZW-H6B-SG-MCV-1PL/R-2M25	65064632225	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H6B-SG-MCV-1PL/M-2M20	65064642220	
2PG13.5	HZW-H6B-SG-MCV-1PL/M-2PG13.5	65064642213	
2PG16	HZW-H6B-SG-MCV-1PL/M-2PG16	65064642216	
2M25	HZW-H6B-SG-MCV-1PL/M-2M25	65064642225	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SGH-1PL/R-M25	65064730125	
PG21	HZW-H6B-SGH-1PL/R-PG21	65064730121	
M32	HZW-H6B-SGH-1PL/R-M32	65064730132	
PG29	HZW-H6B-SGH-1PL/R-PG29	65064730129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SGH-1PL/M-M25	65064740125	
PG21	HZW-H6B-SGH-1PL/M-PG21	65064740121	
M32	HZW-H6B-SGH-1PL/M-M32	65064740132	
PG29	HZW-H6B-SGH-1PL/M-PG29	65064740129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H6B-SGH-1PL/R-2M25	65064730225	
2PG21	HZW-H6B-SGH-1PL/R-2PG21	65064730221	
2M32	HZW-H6B-SGH-1PL/R-2M32	65064730232	
2PG29	HZW-H6B-SGH-1PL/R-2PG29	65064730229	

Size 6B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H6B-SGH-1PL/M-2M25	65064740225	
2PG21	HZW-H6B-SGH-1PL/M-2PG21	65064740221	
2M32	HZW-H6B-SGH-1PL/M-2M32	65064740232	
2PG29	HZW-H6B-SGH-1PL/M-2PG29	65064740229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SGH-CV-1PL/R-M25	65064731125	
PG21	HZW-H6B-SGH-CV-1PL/R-PG21	65064731121	
M32	HZW-H6B-SGH-CV-1PL/R-M32	65064731132	
PG29	HZW-H6B-SGH-CV-1PL/R-PG29	65064731129	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SGH-CV-1PL/M-M25	65064741125	
PG21	HZW-H6B-SGH-CV-1PL/M-PG21	65064741121	
M32	HZW-H6B-SGH-CV-1PL/M-M32	65064741132	
PG29	HZW-H6B-SGH-CV-1PL/M-PG29	65064741129	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H6B-SGH-CV-1PL/R-2M25	65064731225	
2PG21	HZW-H6B-SGH-CV-1PL/R-2PG21	65064731221	
2M32	HZW-H6B-SGH-CV-1PL/R-2M32	65064731232	
2PG29	HZW-H6B-SGH-CV-1PL/R-2PG29	65064731229	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H6B-SGH-CV-1PL/M-2M25	65064741225	
2PG21	HZW-H6B-SGH-CV-1PL/M-2PG21	65064741221	
2M32	HZW-H6B-SGH-CV-1PL/M-2M32	65064741232	
2PG29	HZW-H6B-SGH-CV-1PL/M-2PG29	65064741229	
带塑料盖 With Plastic cover			

Size 6B IP65

UL CE ENE CQC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SGH-MCV-1PL/R-M25	65064732125	
PG21	HZW-H6B-SGH-MCV-1PL/R-PG21	65064732121	
M32	HZW-H6B-SGH-MCV-1PL/R-M32	65064732132	
PG29	HZW-H6B-SGH-MCV-1PL/R-PG29	65064732129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-SGH-MCV-1PL/M-M25	65064742125	
PG21	HZW-H6B-SGH-MCV-1PL/M-PG21	65064742121	
M32	HZW-H6B-SGH-MCV-1PL/M-M32	65064742132	
PG29	HZW-H6B-SGH-MCV-1PL/M-PG29	65064742129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H6B-SGH-MCV-1PL/R-2M25	65064732225	
2PG21	HZW-H6B-SGH-MCV-1PL/R-2PG21	65064732221	
2M32	HZW-H6B-SGH-MCV-1PL/R-2M32	65064732232	
2PG29	HZW-H6B-SGH-MCV-1PL/R-2PG29	65064732229	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H6B-SGH-MCV-1PL/M-2M25	65064742225	
2PG21	HZW-H6B-SGH-MCV-1PL/M-2PG21	65064742221	
2M32	HZW-H6B-SGH-MCV-1PL/M-2M32	65064742232	
2PG29	HZW-H6B-SGH-MCV-1PL/M-2PG29	65064742229	
带金属盖 With Metal cover			

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-DJK-1PL/R-M20	65064830120	
PG13.5	HZW-H6B-DJK-1PL/R-PG13.5	65064830113	
PG16	HZW-H6B-DJK-1PL/R-PG16	65064830116	

Size 6B IP65

UL CE ENE CQC

外壳/Hoods & Housings

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H6B-DJK-1PL/M-M20	65064840120	
PG13.5	HZW-H6B-DJK-1PL/M-PG13.5	65064840113	
PG16	HZW-H6B-DJK-1PL/M-PG16	65064840116	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-DJKH-1PL/R-M25	65064930125	
PG21	HZW-H6B-DJKH-1PL/R-PG21	65064930121	
M32	HZW-H6B-DJKH-1PL/R-M32	65064930132	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H6B-DJKH-1PL/M-M25	65064940125	
PG21	HZW-H6B-DJKH-1PL/M-PG21	65064940121	
M32	HZW-H6B-DJKH-1PL/M-M32	65064940132	

防护盖/Protective cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-CV-2C	65060001055	

防护盖/Protective cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-CV-2g	65060001066	

Size 6B IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-MCV-2G/1	65060012001	
...	HZW-H6B-MCV-2G/2	65060012002	

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H6B-MCV-1PL/M	65060042001	



产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片
H10B	HDD-042	
	HE-010	
	HEE-018	
	HVE-003	
	HK-8/24	
	HSB-004	

Size 10B IP65

UL, CE, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-TK-2g-M20	65103110120	
PG16	HZW-H10B-TK-2g-PG16	65103110116	
M25	HZW-H10B-TK-2g-M25	65103110125	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SK-2g-M20	65103210120	
PG16	HZW-H10B-SK-2g-PG16	65103210116	
M25	HZW-H10B-SK-2g-M25	65103210125	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-TKH-2g-M25	65103310125	
PG21	HZW-H10B-TKH-2g-PG21	65103310121	
M32	HZW-H10B-TKH-2g-M32	65103310132	
PG29	HZW-H10B-TKH-2g-PG29	65103310129	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SKH-2g-M25	65103410125	
PG21	HZW-H10B-SKH-2g-PG21	65103410121	
M32	HZW-H10B-SKH-2g-M32	65103410132	
PG29	HZW-H10B-SKH-2g-PG29	65103410129	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-1PL	65104540000	

Size 10B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-CV-1PL	65104541000	
	带塑料盖 With Plastic cover		

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-MCV-1PL	65104542000	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-1PL-M20	65104640120	
PG16	HZW-H10B-SG-1PL-PG16	65104640116	
M25	HZW-H10B-SG-1PL-M25	65104640125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-1PL-2M20	65104640220	
2PG16	HZW-H10B-SG-1PL-2PG16	65104640216	
2M25	HZW-H10B-SG-1PL-2M25	65104640225	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-CV-1PL-M20	65104641120	
PG16	HZW-H10B-SG-CV-1PL-PG16	65104641116	
M25	HZW-H10B-SG-CV-1PL-M25	65104641125	
	带塑料盖 With Plastic cover		

Size 10B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-CV-1PL-2M20	65104641220	
2PG16	HZW-H10B-SG-CV-1PL-2PG16	65104641216	
2M25	HZW-H10B-SG-CV-1PL-2M25	65104641225	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-MCV-1PL-M20	65104642120	
PG16	HZW-H10B-SG-MCV-1PL-PG16	65104642116	
M25	HZW-H10B-SG-MCV-1PL-M25	65104642125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-MCV-1PL-2M20	65104642220	
2PG16	HZW-H10B-SG-MCV-1PL-2PG16	65104642216	
2M25	HZW-H10B-SG-MCV-1PL-2M25	65104642225	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-1PL-M25	65104740125	
PG21	HZW-H10B-SGH-1PL-PG21	65104740121	
M32	HZW-H10B-SGH-1PL-M32	65104740132	
PG29	HZW-H10B-SGH-1PL-PG29	65104740129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-1PL-2M25	65104740225	
2PG21	HZW-H10B-SGH-1PL-2PG21	65104740221	
2M32	HZW-H10B-SGH-1PL-2M32	65104740232	
2PG29	HZW-H10B-SGH-1PL-2PG29	65104740229	

Size 10B IP65

UL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-CV-1PL-M25	65104741125	
PG21	HZW-H10B-SGH-CV-1PL-PG21	65104741121	
M32	HZW-H10B-SGH-CV-1PL-M32	65104741132	
PG29	HZW-H10B-SGH-CV-1PL-PG29	65104741129	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-CV-1PL-2M25	65104741225	
2PG21	HZW-H10B-SGH-CV-1PL-2PG21	65104741221	
2M32	HZW-H10B-SGH-CV-1PL-2M32	65104741232	
2PG29	HZW-H10B-SGH-CV-1PL-2PG29	65104741229	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-MCV-1PL-M25	65104742125	
PG21	HZW-H10B-SGH-MCV-1PL-PG21	65104742121	
M32	HZW-H10B-SGH-MCV-1PL-M32	65104742132	
PG29	HZW-H10B-SGH-MCV-1PL-PG29	65104742129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-MCV-1PL-2M25	65104742225	
2PG21	HZW-H10B-SGH-MCV-1PL-2PG21	65104742221	
2M32	HZW-H10B-SGH-MCV-1PL-2M32	65104742232	
2PG29	HZW-H10B-SGH-MCV-1PL-2PG29	65104742229	
带金属盖 With Metal cover			

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-DJK-1PL-M20	65104840120	
PG16	HZW-H10B-DJK-1PL-PG16	65104840116	
M25	HZW-H10B-DJK-1PL-M25	65104840125	

Size 10B IP65

UL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-DJKH-1PL-M25	65104940125	
PG21	HZW-H10B-DJKH-1PL-PG21	65104940121	
M32	HZW-H10B-DJKH-1PL-M32	65104940132	
PG29	HZW-H10B-DJKH-1PL-PG29	65104940129	

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-TK-4g-M20	65103120120	
PG16	HZW-H10B-TK-4g-PG16	65103120116	
M25	HZW-H10B-TK-4g-M25	65103120125	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SK-4g-M20	65103220120	
PG16	HZW-H10B-SK-4g-PG16	65103220116	
M25	HZW-H10B-SK-4g-M25	65103220125	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-TKH-4g-M25	65103320125	
PG21	HZW-H10B-TKH-4g-PG21	65103320121	
M32	HZW-H10B-TKH-4g-M32	65103320132	
PG29	HZW-H10B-TKH-4g-PG29	65103320129	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SKH-4g-M25	65103420125	
PG21	HZW-H10B-SKH-4g-PG21	65103420121	
M32	HZW-H10B-SKH-4g-M32	65103420132	
PG29	HZW-H10B-SKH-4g-PG29	65103420129	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-2PL/R	65104550000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-2PL/M	65104560000	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-2PL/R-M20	65104650120	
PG16	HZW-H10B-SG-2PL/R-PG16	65104650116	
M25	HZW-H10B-SG-2PL/R-M25	65104650125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-2PL/M-M20	65104660120	
PG16	HZW-H10B-SG-2PL/M-PG16	65104660116	
M25	HZW-H10B-SG-2PL/M-M25	65104660125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-2PL/R-2M20	65104650220	
2PG16	HZW-H10B-SG-2PL/R-2PG16	65104650216	
2M25	HZW-H10B-SG-2PL/R-2M25	65104650225	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-2PL/M-2M20	65104660220	
2PG16	HZW-H10B-SG-2PL/M-2PG16	65104660216	
2M25	HZW-H10B-SG-2PL/M-2M25	65104660225	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-2PL/R-M25	65104750125	
PG21	HZW-H10B-SGH-2PL/R-PG21	65104750121	
M32	HZW-H10B-SGH-2PL/R-M32	65104750132	
PG29	HZW-H10B-SGH-2PL/R-PG29	65104750129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-2PL/M-M25	65104760125	
PG21	HZW-H10B-SGH-2PL/M-PG21	65104760121	
M32	HZW-H10B-SGH-2PL/M-M32	65104760132	
PG29	HZW-H10B-SGH-2PL/M-PG29	65104760129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-2PL/R-2M25	65104750225	
2PG21	HZW-H10B-SGH-2PL/R-2PG21	65104750221	
2M32	HZW-H10B-SGH-2PL/R-2M32	65104750232	
2PG29	HZW-H10B-SGH-2PL/R-2PG29	65104750229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-2PL/M-2M25	65104760225	
2PG21	HZW-H10B-SGH-2PL/M-2PG21	65104760221	
2M32	HZW-H10B-SGH-2PL/M-2M32	65104760232	
2PG29	HZW-H10B-SGH-2PL/M-2PG29	65104760229	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-DJK-2PL/R-M20	65104850120	
PG16	HZW-H10B-DJK-2PL/R-PG16	65104850116	
M25	HZW-H10B-DJK-2PL/R-M25	65104850125	

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-DJK-2PL/M-M20	65104860120	
PG16	HZW-H10B-DJK-2PL/M-PG16	65104860116	
M25	HZW-H10B-DJK-2PL/M-M25	65104860125	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-DJKH-2PL/R-M25	65104950125	
PG21	HZW-H10B-DJKH-2PL/R-PG21	65104950121	
M32	HZW-H10B-DJKH-2PL/R-M32	65104950132	
PG29	HZW-H10B-DJKH-2PL/R-PG29	65104950129	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-DJKH-2PL/M-M25	65104960125	
PG21	HZW-H10B-DJKH-2PL/M-PG21	65104960121	
M32	HZW-H10B-DJKH-2PL/M-M32	65104960132	
PG29	HZW-H10B-DJKH-2PL/M-PG29	65104960129	

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-TK-2PL/R-M20	65103150120	
PG16	HZW-H10B-TK-2PL/R-PG16	65103150116	
M25	HZW-H10B-TK-2PL/R-M25	65103150125	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-TK-2PL/M-M20	65103160120	
PG16	HZW-H10B-TK-2PL/M-PG16	65103160116	
M25	HZW-H10B-TK-2PL/M-M25	65103160125	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SK-2PL/R-M20	65103250120	
PG16	HZW-H10B-SK-2PL/R-PG16	65103250116	
M25	HZW-H10B-SK-2PL/R-M25	65103250125	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SK-2PL/M-M20	65103260120	
PG16	HZW-H10B-SK-2PL/M-PG16	65103260116	
M25	HZW-H10B-SK-2PL/M-M25	65103260125	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-TKH-2PL/R-M25	65103350125	
PG21	HZW-H10B-TKH-2PL/R-PG21	65103350121	
M32	HZW-H10B-TKH-2PL/R-M32	65103350132	
PG29	HZW-H10B-TKH-2PL/R-PG29	65103350129	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-TKH-2PL/M-M25	65103360125	
PG21	HZW-H10B-TKH-2PL/M-PG21	65103360121	
M32	HZW-H10B-TKH-2PL/M-M32	65103360132	
PG29	HZW-H10B-TKH-2PL/M-PG29	65103360129	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SKH-2PL/R-M25	65103450125	
PG21	HZW-H10B-SKH-2PL/R-PG21	65103450121	
M32	HZW-H10B-SKH-2PL/R-M32	65103450132	
PG29	HZW-H10B-SKH-2PL/R-PG29	65103450129	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SKH-2PL/M-M25	65103460125	
PG21	HZW-H10B-SKH-2PL/M-PG21	65103460121	
M32	HZW-H10B-SKH-2PL/M-M32	65103460132	
PG29	HZW-H10B-SKH-2PL/M-PG29	65103460129	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-4g	65104520000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-4g-CV 带塑料盖 With Plastic cover	65104521000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-ST-4g-MCV 带金属盖 With Metal cover	65104522000	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-4g-M20	65104620120	
PG16	HZW-H10B-SG-4g-PG16	65104620116	
M25	HZW-H10B-SG-4g-M25	65104620125	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-4g-2M20	65104620220	
2PG16	HZW-H10B-SG-4g-2PG16	65104620216	
2M25	HZW-H10B-SG-4g-2M25	65104620225	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-4g-CV-M20	65104621120	
PG16	HZW-H10B-SG-4g-CV-PG16	65104621116	
M25	HZW-H10B-SG-4g-CV-M25	65104621125	
...	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-4g-CV-2M20	65104621220	
2PG16	HZW-H10B-SG-4g-CV-2PG16	65104621216	
2M25	HZW-H10B-SG-4g-CV-2M25	65104621225	
...	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M20	HZW-H10B-SG-4g-MCV-M20	65104622120	
PG16	HZW-H10B-SG-4g-MCV-PG16	65104622116	
M25	HZW-H10B-SG-4g-MCV-M25	65104622125	
...	带金属盖 With Metal cover		

Size 10B IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H10B-SG-4g-MCV-2M20	65104622220	
2PG16	HZW-H10B-SG-4g-MCV-2PG16	65104622216	
2M25	HZW-H10B-SG-4g-MCV-2M25	65104622225	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-4g-M25	65104720125	
PG21	HZW-H10B-SGH-4g-PG21	65104720121	
M32	HZW-H10B-SGH-4g-M32	65104720132	
PG29	HZW-H10B-SGH-4g-PG29	65104720129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-4g-2M25	65104720225	
2PG21	HZW-H10B-SGH-4g-2PG21	65104720221	
2M32	HZW-H10B-SGH-4g-2M32	65104720232	
2PG29	HZW-H10B-SGH-4g-2PG29	65104720229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-4g-CV-M25	65104721125	
PG21	HZW-H10B-SGH-4g-CV-PG21	65104721121	
M32	HZW-H10B-SGH-4g-CV-M32	65104721132	
PG29	HZW-H10B-SGH-4g-CV-PG29	65104721129	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-4g-CV-2M25	65104721225	
2PG21	HZW-H10B-SGH-4g-CV-2PG21	65104721221	
2M32	HZW-H10B-SGH-4g-CV-2M32	65104721232	
2PG29	HZW-H10B-SGH-4g-CV-2PG29	65104721229	
带塑料盖 With Plastic cover			

Size 10B IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H10B-SGH-4g-MCV-M25	65104722125	
PG21	HZW-H10B-SGH-4g-MCV-PG21	65104722121	
M32	HZW-H10B-SGH-4g-MCV-M32	65104722132	
PG29	HZW-H10B-SGH-4g-MCV-PG29	65104722129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H10B-SGH-4g-MCV-2M25	65104722225	
2PG21	HZW-H10B-SGH-4g-MCV-2PG21	65104722221	
2M32	HZW-H10B-SGH-4g-MCV-2M32	65104722232	
2PG29	HZW-H10B-SGH-4g-MCV-2PG29	65104722229	
带金属盖 With Metal cover			

防护盖/Protective cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-CV-4G	65100001022	

防护盖/Protective cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-CV-4C	65100001011	

防护盖/Protective cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-MCV-2G/1	65100012001	
...	HZW-H10B-MCV-2G/2	65100012002	

Size 10B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-MCV-4G/1	65100022001	
...	HZW-H10B-MCV-4G/2	65100022002	

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-MCV-1PL	65100042001	

防护盖/Protective cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H10B-MCV-2PL/1M	65100062001	
...	HZW-H10B-MCV-2PL/2M	65100062002	



产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片	
H16B外壳	HD-040		
	HDD-072		
	HE-016		
	HEE-032		
	HSB-006		
	HVE-006		
	HK-004/0		
	HK-004/2		

Size 16B IP65

UL, CE, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-TK-2g-M25	65163110125	
PG21	HZW-H16B-TK-2g-PG21	65163110121	
M32	HZW-H16B-TK-2g-M32	65163110132	

上壳/Hoods 侧面出线/Side entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SK-2g-M25	65163210125	
PG21	HZW-H16B-SK-2g-PG21	65163210121	
M32	HZW-H16B-SK-2g-M32	65163210132	

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-TKH-2g-PG21	65163310121	
M32	HZW-H16B-TKH-2g-M32	65163310132	
PG29	HZW-H16B-TKH-2g-PG29	65163310129	
M40	HZW-H16B-TKH-2g-M40	65163310140	

上壳/Hoods 侧面出线/Side entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SKH-2g-PG21	65163410121	
M32	HZW-H16B-SKH-2g-M32	65163410132	
PG29	HZW-H16B-SKH-2g-PG29	65163410129	
M40	HZW-H16B-SKH-2g-M40	65163410140	

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H16B-TKH-2G-2M25	65163310225	

Size 16B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-1PL	65164540000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-CV-1PL	65164541000	
	带塑料盖 With Plastic cover		

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-MCV-1PL	65164542000	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-1PL-M25	65164640125	
PG21	HZW-H16B-SG-1PL-PG21	65164640121	
2M25	HZW-H16B-SG-1PL-2M25	65164640225	
2PG21	HZW-H16B-SG-1PL-2PG21	65164640221	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-CV-1PL-M25	65164641125	
PG21	HZW-H16B-SG-CV-1PL-PG21	65164641121	
2M25	HZW-H16B-SG-CV-1PL-2M25	65164641225	
2PG21	HZW-H16B-SG-CV-1PL-2PG21	65164641221	
	带塑料盖 With Plastic cover		

Size 16B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-MCV-1PL-M25	65164642125	
PG21	HZW-H16B-SG-MCV-1PL-PG21	65164642121	
2M25	HZW-H16B-SG-MCV-1PL-2M25	65164642225	
2PG21	HZW-H16B-SG-MCV-1PL-2PG21	65164642221	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-1PL-PG21	65164740121	
M32	HZW-H16B-SGH-1PL-M32	65164740132	
PG29	HZW-H16B-SGH-1PL-PG29	65164740129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-1PL-2PG21	65164740221	
2M32	HZW-H16B-SGH-1PL-2M32	65164740232	
2PG29	HZW-H16B-SGH-1PL-2PG29	65164740229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-CV-1PL-PG21	65164741121	
M32	HZW-H16B-SGH-CV-1PL-M32	65164741132	
PG29	HZW-H16B-SGH-CV-1PL-PG29	65164741129	
	带塑料盖 With Plastic cover		

上壳/Hoods 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-CV-1PL-2PG21	65164741221	
2M32	HZW-H16B-SGH-CV-1PL-2M32	65164741232	
2PG29	HZW-H16B-SGH-CV-1PL-2PG29	65164741229	
	带塑料盖 With Plastic cover		

Size 16B IP65

UL CE ENEC CCC

外壳/Hoods & Housings

上壳/Hoods 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-MCV-1PL-PG21	65164742121	
M32	HZW-H16B-SGH-MCV-1PL-M32	65164742132	
PG29	HZW-H16B-SGH-MCV-1PL-PG29	65164742129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-MCV-1PL-2PG21	65164742221	
2M32	HZW-H16B-SGH-MCV-1PL-2M32	65164742232	
2PG29	HZW-H16B-SGH-MCV-1PL-2PG29	65164742229	
带金属盖 With Metal cover			

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-DJK-1PL-M25	65164840125	
PG21	HZW-H16B-DJK-1PL-PG21	65164840121	
M32	HZW-H16B-DJK-1PL-M32	65164840132	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-DJKH-1PL-PG21	65164940121	
M32	HZW-H16B-DJKH-1PL-M32	65164940132	
PG29	HZW-H16B-DJKH-1PL-PG29	65164940129	
M40	HZW-H16B-DJKH-1PL-M40	65164940140	

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-TK-4g-M25	65163120125	
PG21	HZW-H16B-TK-4g-PG21	65163120121	
M32	HZW-H16B-TK-4g-M32	65163120132	

Size 16B IP65

UL CE ENEC CCC

外壳/Hoods & Housings

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SK-4g-M25	65163220125	
PG21	HZW-H16B-SK-4g-PG21	65163220121	
M32	HZW-H16B-SK-4g-M32	65163220132	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-TKH-4g-PG21	65163320121	
M32	HZW-H16B-TKH-4g-M32	65163320132	
PG29	HZW-H16B-TKH-4g-PG29	65163320129	
M40	HZW-H16B-TKH-4g-M40	65163320140	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SKH-4g-PG21	65163420121	
M32	HZW-H16B-SKH-4g-M32	65163420132	
PG29	HZW-H16B-SKH-4g-PG29	65163420129	
M40	HZW-H16B-SKH-4g-M40	65163420140	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M20	HZW-H16B-TKH-4g-2M20	65163320220	
2M25	HZW-H16B-TKH-4g-2M25	65163320225	
2PG16	HZW-H16B-TKH-4g-2PG16	65163320399	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SKH-4g-PG21(有台)	65163420121-1	
PG29	HZW-H16B-SKH-4g-PG29(有台)	65163420129-1	
M32	HZW-H16B-SKH-4g-M32(有台)	65163420132-1	
M40	HZW-H16B-SKH-4g-M40(有台)	65163420140-1	

Size 16B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-2PL/R	65164550000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-2PL/M	65164560000	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-2PL/R-M25	65164650125	
PG21	HZW-H16B-SG-2PL/R-PG21	65164650121	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-2PL/M-M25	65164660125	
PG21	HZW-H16B-SG-2PL/M-PG21	65164660121	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H16B-SG-2PL/R-2M25	65164650225	
2PG21	HZW-H16B-SG-2PL/R-2PG21	65164650221	

Size 16B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H16B-SG-2PL/M-2M25	65164660225	
2PG21	HZW-H16B-SG-2PL/M-2PG21	65164660221	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-2PL/R-PG21	65164750121	
M32	HZW-H16B-SGH-2PL/R-M32	65164750132	
PG29	HZW-H16B-SGH-2PL/R-PG29	65164750129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-2PL/M-PG21	65164760121	
M32	HZW-H16B-SGH-2PL/M-M32	65164760132	
PG29	HZW-H16B-SGH-2PL/M-PG29	65164760129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-2PL/R-2PG21	65164750221	
2M32	HZW-H16B-SGH-2PL/R-2M32	65164750232	
2PG29	HZW-H16B-SGH-2PL/R-2PG29	65164750229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-2PL/M-2PG21	65164760221	
2M32	HZW-H16B-SGH-2PL/M-2M32	65164760232	
2PG29	HZW-H16B-SGH-2PL/M-2PG29	65164760229	

Size 16B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-DJK-2PL/R-M25	65164850125	
PG21	HZW-H16B-DJK-2PL/R-PG21	65164850121	
M32	HZW-H16B-DJK-2PL/R-M32	65164850121	

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-DJK-2PL/M-M25	65164860125	
PG21	HZW-H16B-DJK-2PL/M-PG21	65164860121	
M32	HZW-H16B-DJK-2PL/M-M32	65164860132	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-DJKH-2PL/R-PG21	65164950121	
M32	HZW-H16B-DJKH-2PL/R-M32	65164950132	
PG29	HZW-H16B-DJKH-2PL/R-PG29	65164950129	
M40	HZW-H16B-DJKH-2PL/R-M40	65164950140	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-DJKH-2PL/M-PG21	65164960121	
M32	HZW-H16B-DJKH-2PL/M-M32	65164960132	
PG29	HZW-H16B-DJKH-2PL/M-PG29	65164950129	
M40	HZW-H16B-DJKH-2PL/M-M40	65164950140	

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-TK-2PL/R-M25	65163150125	
PG21	HZW-H16B-TK-2PL/R-PG21	65163150121	
M32	HZW-H16B-TK-2PL/R-M32	65163150132	

Size 16B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-TK-2PL/M-M25	65163160125	
PG21	HZW-H16B-TK-2PL/M-PG21	65163160121	
M32	HZW-H16B-TK-2PL/M-M32	65163160132	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SK-2PL/R-M25	65163250125	
PG21	HZW-H16B-SK-2PL/R-PG21	65163250121	
M32	HZW-H16B-SK-2PL/R-M32	65163250132	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SK-2PL/M-M25	65163260125	
PG21	HZW-H16B-SK-2PL/M-PG21	65163260121	
M32	HZW-H16B-SK-2PL/M-M32	65163260132	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-TKH-2PL/R-PG21	65163350121	
M32	HZW-H16B-TKH-2PL/R-M32	65163350132	
PG29	HZW-H16B-TKH-2PL/R-PG29	65163350129	
M40	HZW-H16B-TKH-2PL/R-M40	65163350140	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-TKH-2PL/M-PG21	65163360121	
M32	HZW-H16B-TKH-2PL/M-M32	65163360132	
PG29	HZW-H16B-TKH-2PL/M-PG29	65163360129	
M40	HZW-H16B-TKH-2PL/M-M40	65163360140	

Size 16B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SKH-2PL/R-PG21	65163450121	
M32	HZW-H16B-SKH-2PL/R-M32	65163450132	
PG29	HZW-H16B-SKH-2PL/R-PG29	65163450129	
M40	HZW-H16B-SKH-2PL/R-M40	65163450140	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SKH-2PL/M-PG21	65163460121	
M32	HZW-H16B-SKH-2PL/M-M32	65163460132	
PG29	HZW-H16B-SKH-2PL/M-PG29	65163460129	
M40	HZW-H16B-SKH-2PL/M-M40	65163460140	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-4g	65164520000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-4g-CV	65164521000	
	带塑料盖 With Plastic cover		

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-ST-4g-MCV	65164522000	
	带金属盖 With Metal cover		

Size 16B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-4g-M25	65164620125	
PG21	HZW-H16B-SG-4g-PG21	65164620121	
2M25	HZW-H16B-SG-4g-2M25	65164620225	
2PG21	HZW-H16B-SG-4g-2PG21	65164620221	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-4g-CV-M25	65164621125	
PG21	HZW-H16B-SG-4g-CV-PG21	65164621121	
2M25	HZW-H16B-SG-4g-CV-2M25	65164621225	
2PG21	HZW-H16B-SG-4g-CV-2PG21	65164621221	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H16B-SG-4g-MCV-M25	65164622125	
PG21	HZW-H16B-SG-4g-MCV-PG21	65164622121	
2M25	HZW-H16B-SG-4g-MCV-2M25	65164622225	
2PG21	HZW-H16B-SG-4g-MCV-2PG21	65164622221	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-4g-PG21	65164720121	
M32	HZW-H16B-SGH-4g-M32	65164720132	
PG29	HZW-H16B-SGH-4g-PG29	65164720129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-4g-2PG21	65164720221	
2M32	HZW-H16B-SGH-4g-2M32	65164720232	
2PG29	HZW-H16B-SGH-4g-2PG29	65164720229	

Size 16B IP65

UL eUR CE ENE CQC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-4g-CV-PG21	65164721121	
M32	HZW-H16B-SGH-4g-CV-M32	65164721132	
PG29	HZW-H16B-SGH-4g-CV-PG29	65164721129	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-4g-CV-2PG21	65164721221	
2M32	HZW-H16B-SGH-4g-CV-2M32	65164721232	
2PG29	HZW-H16B-SGH-4g-CV-2PG29	65164721229	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H16B-SGH-4g-MCV-PG21	65164722121	
M32	HZW-H16B-SGH-4g-MCV-M32	65164722132	
PG29	HZW-H16B-SGH-4g-MCV-PG29	65164722129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H16B-SGH-4g-MCV-2PG21	65164722221	
2M32	HZW-H16B-SGH-4g-MCV-2M32	65164722232	
2PG29	HZW-H16B-SGH-4g-MCV-2PG29	65164722229	
带金属盖 With Metal cover			

Size 16B IP65

UL eUR CE ENE CQC

外壳/Hoods & Housings

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-CV-4C	65160001011	

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-CV-4g	65160001022	

下壳/Housings 表面安装/Surface mounting


螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-MCV-4G/1	65160022001	
...	HZW-H16B-MCV-4G/2	65160022002	

H16B


H16B

产品选型表
Product Selection Table

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-MCV-1PL	65160042001	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H16B-MCV-2PL/1M	65160062001	
...	HZW-H16B-MCV-2PL/2M	65160062002	



产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片
H24B	HD-064	
	HDD-108	
	HE-024	
	HEE-046	
	HVE-010	
	HVE-016	
	HK-4/8	

Size 24B IP65

UL cUL CE ENE CB

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-TK-2g-M25	65243110125	
PG21	HZW-H24B-TK-2g-PG21	65243110121	
M32	HZW-H24B-TK-2g-M32	65243110132	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SK-2g-M25	65243210125	
PG21	HZW-H24B-SK-2g-PG21	65243210121	
M32	HZW-H24B-SK-2g-M32	65243210132	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-TKH-2g-PG21	65243310121	
M32	HZW-H24B-TKH-2g-M32	65243310132	
PG29	HZW-H24B-TKH-2g-PG29	65243310129	
M40	HZW-H24B-TKH-2g-M40	65243310140	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SKH-2g-PG21	65243410121	
M32	HZW-H24B-SKH-2g-M32	65243410132	
PG29	HZW-H24B-SKH-2g-PG29	65243410129	
M40	HZW-H24B-SKH-2g-M40	65243410140	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-TKH-2g-2PG21	65243310221	
2PG29	HZW-H24B-TKH-2g-2PG29	65243310229	
2M25	HZW-H24B-TKH-2g-2M25	65243310225	
2M32	HZW-H24B-TKH-2g-2M32	65243310232	

Size 24B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-1PL	65244540000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-CV-1PL	65244541000	
	带塑料盖 With Plastic cover		

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-MCV-1PL	65244542000	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-1PL-M25	65244640125	
PG21	HZW-H24B-SG-1PL-PG21	65244640121	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H24B-SG-1PL-2M25	65244640225	
2PG21	HZW-H24B-SG-1PL-2PG21	65244640221	

Size 24B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-CV-1PL-M25	65244641125	
PG21	HZW-H24B-SG-CV-1PL-PG21	65244641121	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H24B-SG-CV-1PL-2M25	65244641225	
2PG21	HZW-H24B-SG-CV-1PL-2PG21	65244641221	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-MCV-1PL-M25	65244642125	
PG21	HZW-H24B-SG-MCV-1PL-PG21	65244642121	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H24B-SG-MCV-1PL-2M25	65244642225	
2PG21	HZW-H24B-SG-MCV-1PL-2PG21	65244642221	
	带金属盖 With Metal cover		

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-1PL-PG21	65244740121	
M32	HZW-H24B-SGH-1PL-M32	65244740132	
PG29	HZW-H24B-SGH-1PL-PG29	65244740129	

Size 24B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-1PL-2PG21	65244740221	
2M32	HZW-H24B-SGH-1PL-2M32	65244740232	
2PG29	HZW-H24B-SGH-1PL-2PG29	65244740229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-CV-1PL-PG21	65244741121	
M32	HZW-H24B-SGH-CV-1PL-M32	65244741132	
PG29	HZW-H24B-SGH-CV-1PL-PG29	65244741129	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-CV-1PL-2PG21	65244741221	
2M32	HZW-H24B-SGH-CV-1PL-2M32	65244741232	
2PG29	HZW-H24B-SGH-CV-1PL-2PG29	65244741229	
带塑料盖 With Plastic cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-MCV-1PL-PG21	65244742121	
M32	HZW-H24B-SGH-MCV-1PL-M32	65244742132	
PG29	HZW-H24B-SGH-MCV-1PL-PG29	65244742129	
带金属盖 With Metal cover			

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-MCV-1PL-2PG21	65244742221	
2M32	HZW-H24B-SGH-MCV-1PL-2M32	65244742232	
2PG29	HZW-H24B-SGH-MCV-1PL-2PG29	65244742229	
带金属盖 With Metal cover			

Size 24B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-DJK-1PL-M25	65244840125	
PG21	HZW-H24B-DJK-1PL-PG21	65244840121	
M32	HZW-H24B-DJK-1PL-M32	65244840132	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-DJKH-1PL-PG21	65244940121	
M32	HZW-H24B-DJKH-1PL-M32	65244940132	
PG29	HZW-H24B-DJKH-1PL-PG29	65244940129	
M40	HZW-H24B-DJKH-1PL-M40	65244940140	

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-TK-4g-M25	65243120125	
PG21	HZW-H24B-TK-4g-PG21	65243120121	
M32	HZW-H24B-TK-4g-M32	65243120132	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SK-4g-M25	65243220125	
PG21	HZW-H24B-SK-4g-PG21	65243220121	
M32	HZW-H24B-SK-4g-M32	65243220132	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-TKH-4g-PG21	65243320121	
M32	HZW-H24B-TKH-4g-M32	65243320132	
PG29	HZW-H24B-TKH-4g-PG29	65243320129	
M40	HZW-H24B-TKH-4g-M40	65243320140	

Size 24B IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

上壳/Hoods 侧面出线/Side entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SKH-4g-PG21	65243420121	
M32	HZW-H24B-SKH-4g-M32	65243420132	
PG29	HZW-H24B-SKH-4g-PG29	65243420129	
M40	HZW-H24B-SKH-4g-M40	65243420140	

上壳/Hoods 顶出线/Top entry 高结构/High structure



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H24B-TKH-4G-2M25	65243320225	
2M32	HZW-H24B-TKH-4G-2M32	65243320232	

Size 24B IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-2PL/R	65244550000	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-2PL/M	65244560000	

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-2PL/R-M25	65244650125	
PG21	HZW-H24B-SG-2PL/R-PG21	65244650121	

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-2PL/M-M25	65244660125	
PG21	HZW-H24B-SG-2PL/M-PG21	65244660121	

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H24B-SG-2PL/R-2M25	65244650225	
2PG21	HZW-H24B-SG-2PL/R-2PG21	65244650221	

Size 24B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M25	HZW-H24B-SG-2PL/M-2M25	65244660225	
2PG21	HZW-H24B-SG-2PL/M-2PG21	65244660221	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-2PL/R-PG21	65244750121	
M32	HZW-H24B-SGH-2PL/R-M32	65244750132	
PG29	HZW-H24B-SGH-2PL/R-PG29	65244750129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-2PL/M-PG21	65244760121	
M32	HZW-H24B-SGH-2PL/M-M32	65244760132	
PG29	HZW-H24B-SGH-2PL/M-PG29	65244760129	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-2PL/R-2PG21	65244750221	
2M32	HZW-H24B-SGH-2PL/R-2M32	65244750232	
2PG29	HZW-H24B-SGH-2PL/R-2PG29	65244750229	

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-2PL/M-2PG21	65244760221	
2M32	HZW-H24B-SGH-2PL/M-2M32	65244760232	
2PG29	HZW-H24B-SGH-2PL/M-2PG29	65244760229	

Size 24B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-DJK-2PL/R-M25	65244850125	
PG21	HZW-H24B-DJK-2PL/R-PG21	65244850121	
M32	HZW-H24B-DJK-2PL/R-M32	65244850132	

下壳/Housings 电缆对接/Cable to Cable

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-DJK-2PL/M-M25	65244860125	
PG21	HZW-H24B-DJK-2PL/M-PG21	65244860121	
M32	HZW-H24B-DJK-2PL/M-M32	65244860132	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-DJKH-2PL/R-PG21	65244950121	
M32	HZW-H24B-DJKH-2PL/R-M32	65244950132	
PG29	HZW-H24B-DJKH-2PL/R-PG29	65244950129	
M40	HZW-H24B-DJKH-2PL/R-M40	65244950140	

下壳/Housings 电缆对接/Cable to Cable 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-DJKH-2PL/M-PG21	65244960121	
M32	HZW-H24B-DJKH-2PL/M-M32	65244960132	
PG29	HZW-H24B-DJKH-2PL/M-PG29	65244960129	
M40	HZW-H24B-DJKH-2PL/M-M40	65244960140	

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-TK-2PL/R-M25	65243150125	
PG21	HZW-H24B-TK-2PL/R-PG21	65243150121	
M32	HZW-H24B-TK-2PL/R-M32	65243150132	

Size 24B IP65

UL eUL CE ENE CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-TK-2PL/M-M25	65243160125	
PG21	HZW-H24B-TK-2PL/M-PG21	65243160121	
M32	HZW-H24B-TK-2PL/M-M32	65243160132	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SK-2PL/R-M25	65243250125	
PG21	HZW-H24B-SK-2PL/R-PG21	65243250121	
M32	HZW-H24B-SK-2PL/R-M32	65243250132	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SK-2PL/M-M25	65243260125	
PG21	HZW-H24B-SK-2PL/M-PG21	65243260121	
M32	HZW-H24B-SK-2PL/M-M32	65243260132	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-TKH-2PL/R-PG21	65243350121	
M32	HZW-H24B-TKH-2PL/R-M32	65243350132	
PG29	HZW-H24B-TKH-2PL/R-PG29	65243350129	
M40	HZW-H24B-TKH-2PL/R-M40	65243350140	

上壳/Hoods 顶出线/Top entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-TKH-2PL/M-PG21	65243360121	
M32	HZW-H24B-TKH-2PL/M-M32	65243360132	
PG29	HZW-H24B-TKH-2PL/M-PG29	65243360129	
M40	HZW-H24B-TKH-2PL/M-M40	65243360140	

Size 24B IP65

UL eUL CE ENE CCC

外壳/Hoods & Housings

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SKH-2PL/R-PG21	65243450121	
M32	HZW-H24B-SKH-2PL/R-M32	65243450132	
PG29	HZW-H24B-SKH-2PL/R-PG29	65243450129	
M40	HZW-H24B-SKH-2PL/R-M40	65243450140	

上壳/Hoods 侧面出线/Side entry 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SKH-2PL/M-PG21	65243460121	
M32	HZW-H24B-SKH-2PL/M-M32	65243460132	
PG29	HZW-H24B-SKH-2PL/M-PG29	65243460129	
M40	HZW-H24B-SKH-2PL/M-M40	65243460140	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-4g	65244520000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-4g-CV 带塑料盖 With Plastic cover	65244521000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-ST-4g-MCV 带金属盖 With Metal cover	65244522000	

Size 24B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-4g-M25	65244620125	
PG21	HZW-H24B-SG-4g-PG21	65244620121	
2M25	HZW-H24B-SG-4g-2M25	65244620225	
2PG21	HZW-H24B-SG-4g-2PG21	65244620221	



下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-4g-CV-M25	65244621125	
PG21	HZW-H24B-SG-4g-CV-PG21	65244621121	
2M25	HZW-H24B-SG-4g-CV-2M25	65244621225	
2PG21	HZW-H24B-SG-4g-CV-2PG21	65244621221	
带塑料盖 With Plastic cover			



下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M25	HZW-H24B-SG-4g-MCV-M25	65244622125	
PG21	HZW-H24B-SG-4g-MCV-PG21	65244622121	
2M25	HZW-H24B-SG-4g-MCV-2M25	65244622225	
2PG21	HZW-H24B-SG-4g-MCV-2PG21	65244622221	
带金属盖 With Metal cover			



下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-4g-PG21	65244720121	
M32	HZW-H24B-SGH-4g-M32	65244720132	
PG29	HZW-H24B-SGH-4g-PG29	65244720129	



下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-4g-2PG21	65244720221	
2M32	HZW-H24B-SGH-4g-2M32	65244720232	
2PG29	HZW-H24B-SGH-4g-2PG29	65244720229	



Size 24B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-4g-CV-PG21	65244721121	
M32	HZW-H24B-SGH-4g-CV-M32	65244721132	
PG29	HZW-H24B-SGH-4g-CV-PG29	65244721129	
带塑料盖 With Plastic cover			



下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-4g-CV-2PG21	65244721221	
2M32	HZW-H24B-SGH-4g-CV-2M32	65244721232	
2PG29	HZW-H24B-SGH-4g-CV-2PG29	65244721229	
带塑料盖 With Plastic cover			



下壳/Housings 表面安装/Surface mounting 高结构/High structure

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG21	HZW-H24B-SGH-4g-MCV-PG21	65244722121	
M32	HZW-H24B-SGH-4g-MCV-M32	65244722132	
PG29	HZW-H24B-SGH-4g-MCV-PG29	65244722129	
带金属盖 With Metal cover			



下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG21	HZW-H24B-SGH-4g-MCV-2PG21	65244722221	
2M32	HZW-H24B-SGH-4g-MCV-2M32	65244722232	
2PG29	HZW-H24B-SGH-4g-MCV-2PG29	65244722229	
带金属盖 With Metal cover			



Size 24B IP65

UL eUL CE ENEC CCC

外壳/Hoods & Housings

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-CV-4C	65240001011	

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-CV-4g	65240001022	

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-MCV-4G/1	65240022001	
...	HZW-H24B-MCV-4G/2	65240022002	

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-MCV-2PL/1M	65240062001	
...	HZW-H24B-MCV-2PL/1M	65240062002	

防护盖/Protective Cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H24B-MCV-1PL	65240042001	

产品选型表

Product Selection Table

外壳系列	配套插体型号	示例图片
H32B	HD-080	
	HDD-144	
	HE-032	
	HEE-064	
	HSB-012	
	HVE-012	

Size 32B IP65

UL CE ENE CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-TK-2g-M32	65323110132	
PG29	HZW-H32B-TK-2g-PG29	65323110129	
M40	HZW-H32B-TK-2g-M40	65323110140	
PG36	HZW-H32B-TK-2g-PG36	65323110136	
M50	HZW-H32B-TK-2g-M50	65323110150	
PG42	HZW-H32B-TK-2g-PG42	65323110142	

上壳/Hoods 侧面出线/Side entry

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-SK-2g-M32	65323210132	
PG29	HZW-H32B-SK-2g-PG29	65323210129	
M40	HZW-H32B-SK-2g-M40	65323210140	
PG36	HZW-H32B-SK-2g-PG36	65323210136	
M50	HZW-H32B-SK-2g-M50	65323210150	
PG42	HZW-H32B-SK-2g-PG42	65323210142	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32B-ST-1PL	65324540000	

下壳/Housings 开孔安装/Bulkhead mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32B-ST-CV-1PL	65324541000	
	带塑料盖 With Plastic cover		

Size 32B IP65

UL CE ENE CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-SG-1PL-M32	65324640132	
PG29	HZW-H32B-SG-1PL-PG29	65324640129	
M40	HZW-H32B-SG-1PL-M40	65324640140	
PG36	HZW-H32B-SG-1PL-PG36	65324640136	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M32	HZW-H32B-SG-1PL-2M32	65324640232	
2PG29	HZW-H32B-SG-1PL-2PG29	65324640229	
2M40	HZW-H32B-SG-1PL-2M40	65324640240	
2PG36	HZW-H32B-SG-1PL-2PG36	65324640236	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-SG-CV-1PL-M32	65324641132	
PG29	HZW-H32B-SG-CV-1PL-PG29	65324641129	
M40	HZW-H32B-SG-CV-1PL-M40	65324641140	
PG36	HZW-H32B-SG-CV-1PL-PG36	65324641136	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M32	HZW-H32B-SG-CV-1PL-2M32	65324641232	
2PG29	HZW-H32B-SG-CV-1PL-2PG29	65324641229	
2M40	HZW-H32B-SG-CV-1PL-2M40	65324641240	
2PG36	HZW-H32B-SG-CV-1PL-2PG36	65324641236	
	带塑料盖 With Plastic cover		

Size 32B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-TK-4g-M32	65323120132	
PG29	HZW-H32B-TK-4g-PG29	65323120129	
M40	HZW-H32B-TK-4g-M40	65323120140	
PG36	HZW-H32B-TK-4g-PG36	65323120136	
M50	HZW-H32B-TK-4g-M50	65323120150	
PG42	HZW-H32B-TK-4g-PG42	65323120142	

上壳/Hoods 侧面出线/Side entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-SK-4g-M32	65323220132	
PG29	HZW-H32B-SK-4g-PG29	65323220129	
M40	HZW-H32B-SK-4g-M40	65323220140	
PG36	HZW-H32B-SK-4g-PG36	65323220136	
M50	HZW-H32B-SK-4g-M50	65323220150	
PG42	HZW-H32B-SK-4g-PG42	65323220142	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32B-ST-2PL	65324560000	

下壳/Housing 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-SG-2PL-M32	65324660132	
PG29	HZW-H32B-SG-2PL-PG29	65324660129	
M40	HZW-H32B-SG-2PL-M40	65324660140	
PG36	HZW-H32B-SG-2PL-PG36	65324660136	

Size 32B IP65

UL, CE, ENEC, CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2M32	HZW-H32B-SG-2PL-2M32	65324660232	
2PG29	HZW-H32B-SG-2PL-2PG29	65324660229	
2M40	HZW-H32B-SG-2PL-2M40	65324660240	
2PG36	HZW-H32B-SG-2PL-2PG36	65324660236	

下壳/Housings 电缆对接/Cable to Cable



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H32B-DJK-2PL-M32	65324860132	
PG29	HZW-H32B-DJK-2PL-PG29	65324860129	
M40	HZW-H32B-DJK-2PL-M40	65324860140	
PG36	HZW-H32B-DJK-2PL-PG36	65324860136	
M50	HZW-H32B-DJK-2PL-M50	65324860150	
PG42	HZW-H32B-DJK-2PL-PG42	65324860142	

防护盖/Protective Cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32B-MCV-4g	9000000021	

防护盖/Protective Cover



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H32B-MCV-2PL	9000000007	

产品选型表
Product Selection Table

外壳系列	配套插体型号	示例图片
H48B	HD-128	
	HDD-216	
	HE-048	
	HEE-092	
	HVE-020	
	HVE-032	

Size 48B IP65

UL, CE, CCC

外壳/Hoods & Housings

上壳/Hoods 顶出线/Top entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H48B-TK-2g-M32	65483110132	
PG29	HZW-H48B-TK-2g-PG29	65483110129	
M40	HZW-H48B-TK-2g-M40	65483110140	
PG36	HZW-H48B-TK-2g-PG36	65483110136	
M50	HZW-H48B-TK-2g-M50	65483110150	
PG42	HZW-H48B-TK-2g-PG42	65483110142	

上壳/Hoods 侧面出线/Side entry



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
M32	HZW-H48B-SK-2g-M32	65483210132	
PG29	HZW-H48B-SK-2g-PG29	65483210129	
M40	HZW-H48B-SK-2g-M40	65483210140	
PG36	HZW-H48B-SK-2g-PG36	65483210136	
M50	HZW-H48B-SK-2g-M50	65483210150	
PG42	HZW-H48B-SK-2g-PG42	65483210142	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H48B-ST-1PL	65484540000	

下壳/Housings 开孔安装/Bulkhead mounting



螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-H48B-ST-CV-1PL 带塑料盖 With Plastic cover	65484541000	

Size 48B IP65

UL CE ENEC CCC

外壳/Hoods & Housings

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG29	HZW-H48B-SG-1PL-PG29	65484640129	
M40	HZW-H48B-SG-1PL-M40	65484640140	
PG36	HZW-H48B-SG-1PL-PG36	65484640136	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG29	HZW-H48B-SG-1PL-2PG29	65484640229	
2M40	HZW-H48B-SG-1PL-2M40	65484640240	
2PG36	HZW-H48B-SG-1PL-2PG36	65484640236	

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
PG29	HZW-H48B-SG-CV-1PL-PG29	65484641129	
M40	HZW-H48B-SG-CV-1PL-M40	65484641140	
PG36	HZW-H48B-SG-CV-1PL-PG36	65484641136	
	带塑料盖 With Plastic cover		

下壳/Housings 表面安装/Surface mounting

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
2PG29	HZW-H48B-SG-CV-1PL-2PG29	65484641229	
2M40	HZW-H48B-SG-CV-1PL-2M40	65484641240	
2PG36	HZW-H48B-SG-CV-1PL-2PG36	65484641236	
	带塑料盖 With Plastic cover		

电力配网连接器

Power distribution network connector

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
公/Male 母/Female	HZW-H6B.P- SKH-ST-2PL-M25			
公/Male 母/Female	HZW-H10A.P- SKH-ST-1PL-M25			

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
公/Male	HZW-HDC-006PH-M			
母/Female	HZW-HDC-006PH-F			

电力配网连接器
Power distribution network connector

HV系列外壳说明
HV Series Housing Description

插芯/Insert	型号/Type	订货号/Part number	尺寸图/Drawing	面板开孔图/Panel cut out
	公/Male HZW-HDC-006-M			
	母/Female HZW-HDC-006-F			
	公/Male HZW-HA-010-M	80210010121		
	母/Female HZW-HA-010-F	80210010120		



普通外壳

HV系列外壳

HV系列外壳是普通系列外壳的升级版本，专门适配于HVE插体。HV系列外壳的外观、尺寸、螺纹等均与普通外壳一致，但其内部进行了细致的优化处理，是一种专门适配于HVE系列插体的大电压外壳。

具体参数可见官网：www.oukerui.cn

导轨支架/Rail bracket

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-CCAB	65007000000	

导轨支架保护盖/Rail bracket cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-CC6B-CV	65067001077	

导轨支架保护盖/Rail bracket cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-CC10B-CV	65107001077	

导轨支架保护盖/Rail bracket cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-CC16B-CV	65167001077	

导轨支架保护盖/Rail bracket cover

螺纹/Thread	型号/Type	订货号/Part Number	尺寸图/Drawing
...	HZW-CC24B-CV	65247001077	

冷压针 Crimp Contacts

(10A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤3mΩ
Contact resistance:≤3mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



10A 冷压针/10A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	
0.14-0.37mm ²	AWG 26-22	8mm	CIGM-0.37	70010111037	CIGF-0.37	70010110037	CISM-0.37	70010201037	CISF-0.37	70010200037
0.5mm ²	AWG 20	8mm	CIGM-0.5	70010111050	CIGF-0.5	70010110050	CISM-0.5	70010201050	CISF-0.5	70010200050
0.75mm ²	AWG 18	8mm	CIGM-0.75	70010111075	CIGF-0.75	70010110075	CISM-0.75	70010201075	CISF-0.75	70010200075
1.0mm ²	AWG 18	8mm	CIGM-1.0	70010111100	CIGF-1.0	70010110100	CISM-1.0	70010201100	CISF-1.0	70010200100
1.5mm ²	AWG 16	8mm	CIGM-1.5	70010111150	CIGF-1.5	70010110105	CISM-1.5	70010201150	CISF-1.5	70010200150
2.5mm ²	AWG 14	8mm	CIGM-2.5	70010111250	CIGF-2.5	70010110205	CISM-2.5	70010201250	CISF-2.5	70010200250

(16A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤1mΩ
Contact resistance:≤1mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection




16A 冷压针/16A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	
0.14-0.37mm ²	AWG 26-22	7.5mm	CEGM-0.37	70016101037	CEGF-0.37	70016100037	CESM-0.37	70016201037	CESF-0.37	70016200037
0.5mm ²	AWG 20	7.5mm	CEGM-0.5	70016101050	CEGF-0.5	70016100050	CESM-0.5	70016201050	CESF-0.5	70016200050
0.75mm ²	AWG 18	7.5mm	CEGM-0.75	70016101075	CEGF-0.75	70016100075	CESM-0.75	70016201075	CESF-0.75	70016200075
1.0mm ²	AWG 18	7.5mm	CEGM-1.0	70016101100	CEGF-1.0	70016100100	CESM-1.0	70016201100	CESF-1.0	70016200100
1.5mm ²	AWG 16	7.5mm	CEGM-1.5	70016101150	CEGF-1.5	70016100150	CESM-1.5	70016201150	CESF-1.5	70016200150
2.5mm ²	AWG 14	7.5mm	CEGM-2.5	70016101250	CEGF-2.5	70016100250	CESM-2.5	70016201250	CESF-2.5	70016200250
3.0mm ²	AWG 12	7.5mm	CEGM-3.0	70016101300	CEGF-3.0	70016100300	CESM-3.0	70016201300	CESF-3.0	70016200300
4.0mm ²	AWG 12	7.5mm	CEGM-4.0	70016101400	CEGF-4.0	70016100400	CESM-4.0	70016201400	CESF-4.0	70016200400

冷压针 Crimp Contacts

(40A)/镀金/镀银

材料:铜合金
Material:copper alloy
接触电阻:≤0.3mΩ
Contact resistance:≤0.3mΩ
表面处理:镀金/镀银
Surface:Gold plated/Silver plated
接线形式:冷压工具压接
Terminal:Crimp connection



40A 冷压针/10A Crimp contacts			镀金冷压针 Contacts,Gold-plated				镀银冷压针 Contacts,Silver-plated			
线径/ Wire gauge	接线长度/ Stripping length	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	公插针/ Male contacts	订货号/ Order No	母插针/ Female contacts	订货号/ Order No	
1.5mm ²	AWG 16	8 mm	CCGM -1.5	70040101015	CCGF -1.5	70040100015	CCSM -1.5	70040201015	CCSF -1.5	70040200015
2.5mm ²	AWG 14	8 mm	CCGM -2.5	70040101025	CCGF -2.5	70040100025	CCSM -2.5	70040201025	CCSF -2.5	70040200025
4.0mm ²	AWG 12	8 mm	CCGM -4.0	70040101040	CCGF -4.0	70040100040	CCSM -4.0	70040201040	CCSF -4.0	70040200040
6.0mm ²	AWG 10	8 mm	CCGM -6.0	70040101060	CCGF -6.0	70040100060	CCSM -6.0	70040201060	CCSF -6.0	70040200060
10.0mm ²	AWG 8	8 mm	CCGM -10	70040101100	CCGF -10	70040100100	CCSM -10	70040201100	CCSF -10	70040200100

冷压针工具/Crimp Contacts Tools

名称/Identification	订货号/Part Number	产品图片/Product picture
冷压钳/Crimping tool	97100014004	
HD,HDD,HM退针器 /HD,HDD,HM Removal tool	97200010000	
HEE,HQ,HM退针器 HEE,HQ,HM Removal tool	97200016000	


电缆接头 Cable gland

螺纹规格/ hread	卡口范围(Φ)/ Claping range	螺纹外径/ (AG)	扳手尺寸/ (SW)	螺纹长度/ (GL)	订货号/ Order NO.
PG制螺纹/PG Thread					
PG11	6-10	18.6	20	7	9802000011
PG13.5	8-12	20.4	22	8	9802000013
PG16	10-14	22.5	24	8	9802000016
PG21	13-18	28.3	30	8	9802000021
PG29	18-25	37.0	40	9	9802000029
PG36	25-32	47.0	50	10	9802000036
PG42	32-38	54.0	58	10	9802000042
PG48	37-44	59.3	64	12	9802000048
M公制螺纹/Metric					
M20X1.5	8-12	20	22	8	98020001020
M25X1.5	13-18	25	30	8	98020001025
M32X1.5	18-25	32	40	9	98020001032
M40X1.5	25-32	40	50	12	98020001040
M50X1.5	32-38	50	58	12	98020001050
M63X1.5	37-44	63	64	12	98020001063

金属电缆接头/Metal Cable gland

材料:黄铜镀镍
Material:Brass nickel plated
密封件:丁腈橡胶
Seal Material:NBR
防护等级:IP68
Degree of protection:IP68

温度范围/Temperature range
静态:-40°C至100°C
Stat:-40°C to100°C
动态:-20°C至80°C
Dyn:-20°C to 80°C




螺纹规格/ hread	卡口范围(Φ)/ Claping range	螺纹外径/ (AG)	扳手尺寸/ (SW)	螺纹长度/ (GL)	订货号/ Order NO.
PG制螺纹/PG Thread					
PG11	5-10	18.6	22	8	98021000011
PG13.5	6-12	20.4	24	9	98021000013
PG16	8-14	22.5	27	10	98021000016
PG21	13-18	28.3	32	11	98021000021
PG29	18-25	37.0	42	11	98021000029
PG36	22-32	47.0	52	12	98021000036
PG42	31-38	54.0	59	14	98021000042
PG48	37-44	59.3	65	14	98021000048
M公制螺纹/Metric					
M20X1.5	6-12	20	24	9	98021001020
M25X1.5	13-18	25	32	11	98021001025
M32X1.5	18-25	32	42	11	98021001032
M40X1.5	22-32	40	52	12	98021001040
M50X1.5	31-38	50	59	15	98021001050
M63X1.5	37-44	63	65	14	98021001063

塑料电缆接头/Plastics Cable gland

材料:尼龙
Material:Nylon
密封件:丁腈橡胶
Seal Material:NBR
防护等级:IP68
Degree of protection:IP68

温度范围/Temperature range
静态:-40°C至100°C
Stat:-40°C to100°C
动态:-20°C至80°C
Dyn:-20°C to 80°C




附件
Accessories

编码销/Code pin

TYPE:HZW-CODE-M3
Order no.:96300 000203


适用于可安装一个插体或框架的外壳
For hoods/housings with one insert/one frame



模块型编码销/
Modular Code pin






TYPE:HZW-MCODE-M3
Order no.:96300 000213

适用于可安装两个插体或框架的外壳
For hoods/housings with two insert/two frames



●-编码销/Code pins M-公插体/Male connector ○-正常螺丝/Normal mounting screw F-母插体/Female connecto

扣子
Lever


型号/Type	尺寸图/Drawing
 HZW-2PLR	
 H32A-2PL塑料双扣	
 H6B-1PL塑料单扣	
 H10A-1PL塑料单扣	
 H16A-1PL塑料单扣	

附件 Accessories

导向孔/Guide bush

TYPE:HZW-GUSHF-M3
Order no.:96300 000223


适用于可安装一个插体或框架的外壳
For hoods/housings with one insert/one frame



导向销/Guide pin


TYPE:HZW-GPINM-M3
Order no.:96300 000233

适用于可安装一个插体或框架的外壳
For hoods/housings with one insert/one frame




●-导向销/Guide pins M-公插体/Male connector ○-导向套/Cuide bush F-母插体/Female connecto
+-正常螺丝/Normal mounting screw

壳体底部安装尺寸图 Housing mounting Mimensions




H3A 系列开孔底座
H3A Series housings



H10A,H16A,H32A 系列开孔底座
H10A,H16A,H32A Series housings

壳体型号/ Housing type	安装形式/ Mounting type	尺寸/Dimensions(mm)						
		A	B	C	E	F	G	Φd
H3A	开孔安装/Bulkhead mounting	40	28	21	21	30	-	3.3
	表面安装/Surface mounting	40	28	-	-	30	-	3.3
H10A	开孔安装/Bulkhead mounting	81	29.5	57.5	24	17.5	70	3.6
	表面安装/Surface mounting	74.8	50	-	-	40	48	4.5
H16A	开孔安装/Bulkhead mounting	96	29.5	73.7	24	17.5	86	3.6
	表面安装/Surface mounting	96	50	-	-	40	64	4.5
H32A	开孔安装/Bulkhead mounting	102	56	74.2	48.4	42	92	4.3
	表面安装/Surface mounting	106	57	-	-	46	96	5.5



H*B/HV*B系列开孔底座
H*B/HV*B Series housings

壳体型号/ Housing type	安装形式/ Mounting type	尺寸/Dimensions(mm)						
		A	B	C	E	F	G	Φd
H6B	开孔安装/Bulkhead mounting	80/85新	43.5/48.5新	52.2	35	32	70	4.3
	表面安装/Surface mounting	82	52	-	-	40低/45高	70	5.5
H10B/HV10B	开孔安装/Bulkhead mounting	93/98新	43.5/48.5新	65.2	35	32	83	4.3
	表面安装/Surface mounting	94	52	-	-	40低/45高	82	5.5
H16B/HV16B	开孔安装/Bulkhead mounting	113/118新	43.5/48.5新	85.5	35	32	103	4.3
	表面安装/Surface mounting	117	57	-	-	45	105	5.5
H24B/HV24B	开孔安装/Bulkhead mounting	140/145新	43.5/48.5新	112.2	35	32	130	4.3
	表面安装/Surface mounting	144	57	-	-	45	132	5.5
H32B/HV32B	开孔安装/Bulkhead mounting	124	79	85.5	71	65	110	5.5
	表面安装/Surface mounting	124.5	81	-	-	67	112	5.5
H48B/HV48B	开孔安装/Bulkhead mounting	165	90	124	82	70	148	7
	表面安装/Surface mounting	132	120	-	-	106	111	6.5